INTERMEDIATE

SKILL

FREE

Blackbird Cabin

designed by Marsha Evans Moore featuring Circa: Onyx by Whistler Studios SIZE: 58" × 58"



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.





PROJECT DISCLAIMER: Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however, no warranty can be given nor results guaranteed. Therefore, we assume no responsibility nor damages that may occur when referring to this pattern. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. We suggest you check **windhamfabrics. com** for pattern updates and to test the pattern prior to making the project. Test templates first, before cutting all the pieces. Free projects are not for resale.

WOF=WIDTH OF FABRIC

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
Α		54341-1 Onyx	1/4	(1) Large Blackbird template.(2) Small Blackbird templates.(2) Small Blackbird templates reversed.
В		54341-3 Tan	7/8	 (5) 1-1/2" x WOF strips; sew short ends together for B border. (2) 2-3/8" x WOF strip; subcut (14) 2-3/8" squares. Cut squares in half diagonally once to make (28 triangles). For raw edge appliqué: (1) Main Stem template, (1) Stem 1 template, (1) stem 2 template, (1) Stem 3 template and (8) border stem templates and (8) border stem templates reversed. For turned edge appliqué: (1) 1-1/2" x 15" bias strip, (2) 1-1/2" x 8-1/2" bias strip, (1) 1-1/2" x 7" bias strip, and (16) 1-1/4" x 7-1/2" strips.
с		54342-1 Onyx	7/8	 (4) 2" x WOF strips; subcut (6) 2" x 11" strips, (8) 2" x 9-1/2" strips and (2) 2" x 8" strips. FOR BINDING: (6) 2-1/4" x WOF strips, sew short ends together. (1) Large Wing template. (2) Small Wing templates. (2) Small Wing templates reversed.
D		54342-4 Walnut	3/8	(5) Leaf 3 templates.(3) Leaf 4 templates.(32) Border Leaf templates.(1) 4-1/4" square
E		54343-1 Onyx	3/8	(5) 2" x WOF strips; subcut (6) 2" x 11" strips (8) 2" x 9-1/2" strips and (2) 2" x 8" strips and (12) 2" squares.
F	```\ ``};	54343-4 Walnut	1/8	(8) Heart templates.



KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
G		54344-6 Parchment	1/4	(2) 2" x WOF strips; subcut (12) 2" x 3-1/2" strips and (12) 2" squares.
н		54346-9 Black / Bronze	1/2	 (3) 2" x WOF strips; subcut (6) 2" x 5" strips and (8) 2" x 3-1/2" strips and (2) 2" squares. (1) Leaf template 1. (1) Leaf template 2. (3) Leaf template 3. (3) Leaf template 4. (48) Border Leaf templates.
I		54347-3 Tan	1/4	(3) 2" x WOF strips; subcut (6) 2" x 9-1/2" strips and (6) 2" x 8" strips.
J		54347-10 Espresso	1/4	(3) 2" x WOF strips; subcut (6) 2" x 8" strips (8) 2" x 6-1/2" strips and (2) 2" x 5" strips.
к		54348-11 Dropcloth	3/8	(4) 2" x WOF strips; subcut (12) 2" x 6-1/2" strips and (12) 2" x 5" strips.
L		54349-12 Chocolate	3/4	 (5) 2" x WOF strips; subcut (6) 2" x 8" strips, (8) 2" x 6-1/2" strips, (8) 2" x 5" strips (8) 2" x 3-1/2" strips and (2) 2" squares. (1) Leaf template 1. (1) Leaf template 2. (2) Leaf template 3. (32) Border Leaf templates.
М		54349-13 Stone	1/4	(3) 2" x WOF strips; subcut (6) 2" x 9-1/2" strips and (6) 2" x 8" strips.
N		54350D-1 Onyx	1	Fussy-cut (6) 3-3/4" x WOF strips centered over log cabin blocks; sew short ends together, matching blocks for N borders.
0		WINDHAM SOLIDS 25029S-Ivory	1-3/8	 (1) 15-1/2" square. (5) 4" x WOF strips; sew short ends together for appliqué borders.
		Backing	3-3/4	Batting 66" x 66"
L			I	

Optional: For turned under edge appliqué: freezer paper or other template paper. **For raw edge appliqué:** paper backed fusible webbing.




BLOCK ASSEMBLY

CENTER BLOCK

1. Using your favorite appliqué method, prepare the appliqué pieces from the templates on pages 13-16. Prepare raw edge appliqué stems in the same way as the other pieces.

2. For turned edge appliqué stems, fold (1) B 15" bias strip in half lengthwise with wrong sides together. Sew 3/8" from fold. Trim raw edge 1/8" from stitching. Press stem flat with seam centered on one side to make (1) Main Stem. Repeat to make (1) B 7-1/2" Stem 1 and (2) B 8-1/2" Stems 2-3. Make the number indicated.


3. Following step 2, make (16) stems using **B** 1-1/4" x 7-1/2" bias strips and stitching 1/4" from fold.



4. Trace the center placement pattern to the center of (1) **O** 15-1/2" square.


5. Fuse, baste or pin (1) **B** Stem 1, (1) **B** Stem 2 and (1) **B** Stem 3 in place. Trim the inner ends of stems diagonally along the center of the main stem placement. Trim the outer ends so stems overlap adjacent shapes 1/4". Sew along the edge of the stems.

6. Fuse, baste or pin (1) **B** Main Stem in place. Trim the ends so stems overlap adjacent shapes 1/4". Sew along the edge of the stems.





7. Fuse, baste or pin **D**, **H**, **I** and **L** Leaf 1, Leaf 2, Leaf 3 and Leaf 4 appliqués in place. Sew along the edges of the leaves. Fuse, baste or pin (1) **A** Large Blackbird appliqué and (1) **C** Large Wing appliqué in place. Sew along the edges of the appliqués.



8. Draw a diagonal line on the wrong side of (1) **D** 4-1/4" square.

9. Place the **D** 4-1/4" square wrong side up on the lower right corner of the center block. Sew along the diagonal line. Trim seam allowance 1/4" from the stitching as indicated by the solid line.

10. Press the **D** piece open to complete the center block. Make 1.








LOG CABIN BLOCKS 1-2

11. Sew (2) **B** 2-3/8" triangles to adjacent sides of (1) **H** 2" square to make a triangle unit. Make 1.

12. Sew (1) **B** 2-3/8" triangle to the end of (1) **C** 2" x 9-1/2" strip, (1) **C** 2" x 8" strip, (1) **L** 2" x 6-1/2" strip, (1) **L** 2" x 5" strip and (1) **H** 2" x 3-1/2" strip to make rectangle units. Note orientation of triangles. Make 1 each.

13. Sew (1) **H** 3-1/2" rectangle unit to the edge of the triangle unit.






14. Sew (1) L 5" rectangle unit to the left side and (1) L 6-1/2" rectangle unit to the top of the triangle unit.

15. Sew (1) **C** 8"rectangle unit to the left side and (1) **C** 9-1/2" rectangle unit to the top of the triangle unit to make (1) Block 1. Make 2.

16. Following steps 11-15, make Block 2 using the fabric shown. Make 2.




LOG CABIN BLOCKS 1-2

17. Sew together (1) **G** 2" square and (1) **E** 2" square. Sew (1) **G** 2" x 3-1/2" strip to bottom of **EG** unit.


18. Sew (1) **H** 2" x 3-1/2" strip to the left side of **EG** block unit. Sew (1) **H** 2" x 5" strip to the top.


19. Sew (1) **K** 2" x 5" strip to right side of block unit. Sew (1) **K** 2" x 6-1/2" strip to the bottom.

20. Sew (1) **L** 2" x 6-1/2" strip to left side of block unit. Sew (1) **L** 2" x 8" strip to the top.











21. Sew (1) I 2" x 8" strip to right side of block unit. Sew (1) I 2" x 9-1/2" strip to the bottom.

22. Sew (1) **C** 2" x 9-1/2" strip to left side of block unit. Sew (1) **C** 2" x 11" strip to the top. Block should measure 11" square including seam allowance. Make 6 Block (3).

23. Following steps 17-22, make Block 4 using the fabric shown in the diagram. Make 6 Block (4).







QUILT CENTER ASSEMBLY

24. Measure the diagonal stitching line of blocks 1 and 2. Add 1/2" for seam allowance. Trim center block to this measurement. It should be approximately 15-1/4" - 15-3/8" square.

25. Following the Quilt Layout on page 8, sew the diagonal edge of (2) Log Cabin block 1 to upper left and lower right edges of the center block. Sew the diagonal edge (2) Log Cabin block 2 to upper right and lower left edges of the center block to complete the center square.

26. Sew together (1) Log Cabin block 3 and (1) Log Cabin block 4 to make a side border. Note the orientation and position of the blocks. Make 2.

27. Sew (2) side borders to the side edges of the center square. Ease to fit as needed.

28. Sew together (2) Log Cabin Block 3 alternating with (2) Log Cabin Block 4 to make the top and bottem borders. Note the orientation of the blocks. Make 2.

29. Sew the top and bottom borders to the quilt rotating the bottom border 180°. *Ease to fit as needed*.

B BORDER

30. Measure the side edges of the quilt including seam allowance. Cut (2) **B** 1-1/2" side borders to this length from the joined **B** strips. (This measurement should be approximately 42-1/2"). Add an additional 2" to the length of the side borders and cut (2) **B** 1-1/2" top and bottom borders from the joined 1-1/2" strips.

31. Sew (2) **B** side borders to sides of quilt center. Sew (2) B top and bottom borders to top and bottom of quilt.

APPLIQUÉ BORDERS

32. Measure the side edges of the **B** borders including seam allowance. Cut (2) **O** 4" side borders to this length from the joined strips. (This measurement should be approximately 44-1/2"). Add an additional 7-1/2" to the length of the side borders and cut (2) **O** top and bottom borders from the joined strips.

33. Draw a line in the center of the side border. Measure about 12" from the center on each side and draw a line. Trace (2) hearts centered over the lines. Space (2) Branches and (2) Branches reversed to the borders as shown. If your border is a little longer than 44-1/2" spread out the motifs a little. Be sure to end outer branches at least 1/2" from ends. Make 2.




34. Draw a line in the center of the side border. Measure about 13" from the center on each side and draw a line. Trace (1) heart centered over the center line. Trace (1) Blackbird and (1) Blackbird reversed centered over the remaining lines. Space (2) Branches and (2) Branches reversed to the borders as shown. If your border is a little longer than 51-1/2" spread out the motifs a little. Be sure to end outer branches about 1" from ends. Make 2.


Top and Bottom Borders

Make 2



35. Fuse, baste or pin **B** Border Stems and **B** Border Stems reversed in place on the borders turning under 1/4" on the end without leaves. Sew the stems in place. Fuse, baste or pin **D**, **H** and **L** Border Leaves, **F** Hearts and **A** Border Blackbirds in place. Sew the appliqué pieces in place. Fuse, baste or pin **C** Border Wings in place. Sew along the edge of the wings. Make 2 each.







36. Following the Quilt Layout on page 8, sew the appliqué side borders to the quilt center. Sew the appliqué top and bottom borders to the quilt center. Note the orientation of the borders.

N BORDER

37. Measure the side edges of the appliqué borders including seam allowance. Cut (2) **N** 3-3/4" side borders to this length from the joined strips. (This measurement should be approximately 51-1/2"). Add an additional 7" to the length of the side borders and cut (2) **N** top and bottom borders from the joined strips. (This measurement should be approximately 58").

38. Sew (2) \mathbb{N} 3-3/4" side borders to the sides of the quilt. Sew (2) \mathbb{N} 3-3/4" top and bottom borders to the quilt.



QUILT LAYOUT



FINISHING: Layer quilt top, batting and backing together to form quilt sandwich. Baste and quilt as desired. Bind using **C** 2-1/4" strips.




TEMPLATES


Overlap the top shaded area of Quadrant 2 with the bottom edge of Quadrant 1. Glue or tape them together.


Repeat with Quadrants 3 and 4.

Overlap the center shaded area of Quadrants 1-2 with Quadrants 3-4. Glue or tape them together.




1" x 1"














windhamfabrics.com

Blackbird Cabin










windhamfabrics.com



Templates

