

Blush

INTERMEDIATE
SKILL

Designed by Marsha Evans Moore
Featuring Baliscapes: *Carnelian* batiks
SIZE: 57-1/2" x 57-1/2"

FREE BATIK
PROJECT



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.









Blush

PROJECT DISCLAIMER: Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however, no warranty can be given nor results guaranteed. Therefore, we assume no responsibility nor damages that may occur when referring to this pattern. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. We suggest you check windhamfabrics.com for pattern updates and to test the pattern prior to making the project. Test templates first, before cutting all the pieces. Free projects are not for resale.

TIP: Paper piecing is an accurate and easy way to piece the corner patchwork triangles.
Use your preferred paper piecing method.

WOF = WIDTH OF FABRIC

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
A		2700Q-X Brown	1/3	(1) 6-1/2" x WOF strips; subcut (2) 6-1/2" squares.
B		2701Q-X Brown	1-1/2	(15) 2-3/4" x WOF strips; subcut (224) 2-3/4" squares; cut squares in half diagonally once to make (448) triangles (#2,3,5 and 7).
C		2704Q-X Cashew	7/8	(2) 12-1/2" x WOF strips; subcut (40) 12-1/2" x 1-1/2" sashing strips.
D		2705Q-X Cashew	1/2	(5) 2" x WOF strips; subcut (12) 2" x 7-3/4" strips (#6) and (16) 2" x 5-1/4" strips (#4).
E		2706Q-X Sienna	1-1/4	(1) 6-1/2" x WOF strips; subcut (2) 6-1/2" squares and (5) 5-1/8" squares. (1) 5-1/8" x WOF strip; subcut (5) 5-1/8" squares. Cut (10) 5-1/8" squares in half diagonally once to make (20) triangles. (6) 2-3/4" x WOF strips; sew short ends together; subcut (2) 2-3/4" x 57-1/2" borders and (2) 2-3/4" x 53-1/2" borders and (8) 2-3/4" squares. Cut 2-3/4" squares in half diagonally once to make (16) triangles (#1). (4) 2" x WOF strips; subcut (12) 2" x 7-3/4" strips (#6) and (8) 2" x 5-1/4" strips (#4).
F		2707Q-X Blush	3/8	(3) 2" x WOF strips; subcut (16) 2" x 7-3/4" strips (#6). (1) 2-3/4" x WOF strip; subcut (10) 2-3/4" squares. Cut squares in half diagonally once to make (20) triangles (#1).



Blush

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
G		2710Q-X Blush	2/3	(2) 5-1/8" x WOF strip; subcut (10) 5-1/8" squares. Cut (10) 5-1/8" squares in half diagonally once to make (20) triangles. (4) 2" x WOF strips; subcut (8) 2" x 7-3/4" strips (#6) and (20) 2" x 5-1/4" strips (#4).
H		2711Q-X Peach	5/8	(1) 6-1/2" x WOF strips; subcut (3) 6-1/2" squares and (3) 5-1/8" squares. (1) 5-1/8" x WOF strip; subcut (5) 5-1/8" squares. Cut (8) 5-1/8" squares in half diagonally once to make (16) triangles. (1) 2-3/4" x WOF strip; subcut (8) 2-3/4" squares. Cut squares in half diagonally once to make (16) triangles (#1).
I		2712Q-X Coral	1/3	(2) 2" x WOF strips; subcut (12) 2" x 5-1/4" strips (#4). (1) 2-3/4" x WOF strip; subcut (6) 2-3/4" squares. Cut squares in half diagonally once to make (12) triangles (#1).
J		2713Q-X Coral	1/2	(1) 6-1/2" x WOF strip; subcut (4) 6-1/2" squares. (1) 5-1/8" x WOF strip; subcut (4) 5-1/8" squares. Cut squares in half diagonally once to make (8) triangles.
K		2714Q-X Rosewood	1-1/8	(1) 6-1/2" x WOF strips; subcut (3) 6-1/2" squares. (5) 2" x WOF strips; subcut (16) 2" x 7-3/4" strips (#6) and (8) 2" x 5-1/4" strips (#4). (1) 1-1/2" x WOF strips; subcut (25) 1-1/2" squares. FOR BINDING: (6) 2-1/4" x 42" strips, sew short ends together.
		Backing	4	Batting 64" x 64"


ADDITIONAL MATERIALS (32) 8-1/2" x 11" (letter size) paper for copies



Blush

CORNER PATCHWORK TRIANGLES


1. Use your favorite paper piecing method to paper piece the corner patchwork triangle. Cover the triangles and quadrilaterals in numerical order. After piecing, trim fabric to outer solid lines before sewing to block center. Make the number of pieces indicated for each color combination. Remove paper.



BLOCK CENTERS

2. Sew (1) **G** 5-1/8" triangle to opposite sides of (1) **J** 6-1/2" square. Sew (1) **G** 5-1/8" triangle to remaining sides to make the block center. Trim block center to 9" square, 1/4" past square points. Make 2.

3. Repeat step 2 to make the following block center combinations: **E/H**, **G/K**, **H/A**, **J/E**, and **E/J**. Make the number of block centers indicated.





Blush

BLOCK ASSEMBLY

4. Sew (1) patchwork corner to each side of block center, matching the numbers. Blocks should measure 12-1/2" square including seam allowance. Make the number of blocks indicated.

Block 1



Make 2

Block 2




Make 3

Block 3



Make 3

Block 4



Make 4

Block 5



Make 2

Block 6



Make 2

QUILT ASSEMBLY

- Following the Quilt Layout on page 5, arrange the blocks in 4 rows of 4 blocks each. Arrange (5) **C** 1-1/2" x 12-1/2" strips alternating with the blocks. Sew the blocks and strips in each row together to make the block rows.
- Alternate (4) **C** 1-1/2" x 12-1/2" strips and (5) **K** 1-1/2" squares. Sew the ends of the strips to the squares to make a sashing row. Make 5.
- Sew together the (5) sashing rows alternating with the (4) block rows to complete the quilt center.
- Sew (1) **E** 2-3/4" x 53-1/2" border to sides of quilt. Sew (1) **E** 2-3/4" x 57-1/2" border to top and bottom of quilt.



Blush

QUILT LAYOUT





FINISHING: Layer quilt top, batting and backing together to form quilt sandwich. Baste and quilt as desired. Bind using **K** 2-1/4" strips.



Blush

PAPER PIECING PATTERNS

CORNER PATCHWORK TRIANGLE



1" x 1"

Print at 100%.

NOTE:

- One page includes two corner patchwork triangles. Make (32) copies for a total of 64 triangles.
- Cut out triangles on solid lines.