
03.01.19 windhamfabrics.com

Criss Cross Applesauce

Designed by Natalie Crabtree
Featuring *Penelope* by *Annabel Wrigley*

SIZE: 66" x 66"



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.





Cutting Notes: Mark and store your cutting pieces according to the block they have been assigned to, as this will make it much easier when you start piecing. Be sure to read the entire pattern before you begin. This pattern requires curved piecing techniques. For more information on fcurved piecing please visit your favorite quilting or tutorial website.


KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
A		31835S-White BLACK & WHITE COLLECTION	2-3/4	 (2) 12-1/2" x WOF strips. Subcut (40) 12-1/2" x 2" strips for sashing strips. (15) 3" x WOF strips. Subcut (200) 3" squares for Blocks A and B. Draw a diagonal line on the wrong side of each square from corner to corner using an erasable marker. (4) 5-1/2" x WOF strips. Subcut (52) 5-1/2" x 2-1/2" rectangles for Block B.
В		51242-1 Blue	1	 (1) 12-1/2" x WOF strip. Subcut (6) 12-1/2" x 5-1/2" strips for Block A. (2) 5-1/2" x WOF strips. Subcut (12) 5-1/2" x 4" rectangles for Block A.
С		51242-2 Seafoam	1	 (1) 12-1/2" x WOF strip. Subcut (6) 12-1/2" x 5-1/2" strips for Block A. (2) 5-1/2" x WOF strips. Subcut (12) 5-1/2" x 4" rectangles for Block A.
D		51248-3 Green	5/8	(4) 4" x WOF stripsSubcut (36) 4" squares for Block B.(1) 2-1/2" WOF strip.Subcut (9) 2-1/2" squares for Block B.
E		51248-5 Petal Pink	5/8	(5) 4" x WOF strips. Subcut (48) 4" squares for Block A.
F		51248-1 Blue INCLUDES BINDING	3/4	 (2) 4" x WOF strips. Subcut (16) 4" squares for Block B. Use the remainder of the second 4" strip to cut (4) 2-1/2" squares for Block B. BINDING: (7) 2-1/4" x WOF strips for binding.
G	ななな	51245-4 Citrine	5/8	(2) 4" x WOF strips Subcut (36) 4" x 2" rectangles for Block B. (2) 5-1/2" WOF strips. Subcut (36) 5-1/2" x 2" rectangles for Block B.




KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
н	+ + ×	51245-2 Seafoam	3/8	 (1) 4" x WOF strip. Subcut (16) 4" x 2" rectangles for Block B. (1) 5-1/2" WOF strip. Subcut (16) 5-1/2" x 2" rectangles for Block B.
1		51246-7 Coral	1/8	(1) 2" x WOF strip. Subcut (16) 2" squares for corner stones.
		Backing	4	72" x 72" piece of batting.

Constructing Block A

- 1. Using (1) Fabric A 3" square with a drawn diagonal line and (1) Fabric E 4" square, align the corners of the two fabrics RST. Sew along the drawn line as shown in the diagram.
- 2. Trim the outermost excess fabric to 1/4" and press seams outward.
- **3.** Repeat the same process on the other side of the **Fabric E** 4" square using a **Fabric A** 3" square with a drawn diagonal line. This unit should measure 4" unfinished.



4. Repeat the process in Steps 1-3 to create (48) units for Block A.



5. Use (2) **Fabric B** 5-1/2" x 4" pieces, (1) **Fabric B** 12-1/2" x 5-1/2" piece and (4) units created in Steps 1-4 to create one colorway featured in Block A. Follow the diagrams for accurate fabric placement and unit orientation.







- 6. Repeat to create (6) Block A using Fabric B.
- 7. Use (2) Fabric C 5-1/2" x 4" pieces, (1) Fabric C 12-1/2" x 5-1/2" piece and (4) units created in Steps 1-4 to create one colorway featured in Block A. Follow the diagrams for accurate fabric placement and unit orientation.







- 8. Repeat to create (6) Block A using Fabric C.
- **9.** Block A shown in both colorways should measure 12-1/2" unfinished.

Constructing Block B

- **10.** Using (1) **Fabric A** 3" square with a drawn diagonal line and (1) **Fabric D** 4" square; align the corners of the two fabrics RST. Sew along the drawn line as shown in the diagram listed in Block A instructions. (Please note: Block A instructions show this method in a different colorway. However, the same piecing methods apply.)
- 11. Trim the outermost excess fabric to 1/4" and press seams outward.
- **12.** Repeat the same process on the other side of the **Fabric D** 4" square using a **Fabric A** 3" square with a drawn diagonal line. This unit should measure 4" unfinished.




- 13. Repeat the process in Steps 1-3 to create (36) units for Block B using Fabrics A and D.
- **14.** Repeat the process in Steps 1-3 to create (16) units for Block B using (2) **Fabric A** 3" squares with a drawn diagonal line and (1) **Fabric F** 4" square.




15. Using (1) unit made in the above steps with **Fabrics A and D**, sew (1) **Fabric G** 4" x 2" rectangle onto the side of the unit as shown in the diagram. Press seams toward **Fabric G**.




16. Sew (1) **Fabric G** 5-1/2" x 2" rectangle onto the side of this unit. This will create a frame for half of the unit created in Steps 1-4.







- 17. Repeat the process described in Steps 6-7 on all (36) units using Fabrics A and D.
- **18.** Repeat the process described in Steps 6-7 using (1) unit made in the above steps with **Fabrics A and F**, (1) **Fabric H** 4" x 2" rectangle and (1) **Fabric H** 5-1/2" x 2" rectangle. Follow the diagrams for accurate fabric placement.






- 19. Repeat the process described in Steps 6-7 on all (16) units using Fabrics A and F.
- **20.** Using (4) units created in the steps above with **Fabrics A, D and G**, (1) **Fabric D** 2-1/2" square and (4) **Fabric A** 5-1/2" x 2-1/2" rectangles sew together Block B as shown in the diagram.
- **21.** Repeat to create (9) Block B using this colorway.





22. Using (4) units created in the steps above with **Fabrics A, F and H**, (1) **Fabric F** 2-1/2" square and (4) **Fabric A** 5 ½" x 2 ½" rectangles sew together Block B as shown in the diagram.








- 23. Repeat to create (4) Block B using this colorway.
- 24. Block B shown in both colorways should measure 12-1/2" unfinished.


Quilt Top Assembly

- **25.** Create horizontal sashing strips by sewing (5) **Fabric A** 12-1/2" x 2" strips and (4) **Fabric I** 2" squares together alternating the fabrics as you sew. Start and end each sashing row with a **Fabric A** 12-1/2" x 2" strip. Press seams toward the **Fabric A** sashing strip.
- 26. Repeat to create (4) horizontal sashing strips.



- **27.** Arrange Blocks A and B as shown in the diagram before sewing to ensure accurate block and fabric placement. Place (1) **Fabric A** 12-1/2" x 2" sashing strip in between each block.
- 28. Begin assembling the quilt top by sewing horizontal block rows first. Press seams toward the sashing.
- **29.** Sew together the horizontal block rows placing a horizontal sashing row in between each block row as shown in the diagram below.

QUILT ASSEMBLY DIAGRAM





Finishing

- **30.** With the backing fabric laying taut, place batting and then quilt top to form quilt sandwich.
- 31. Baste sandwich. Quilt as desired.
- **32.** Bind with **Fabric F** to finish quilt.

