08.01.17 windhamfabrics.com

Cross Breeze

Designed by Char Hopeman Featuring Bookshelf Botanical by Whistler Studios SIZE: $50" \times 70"$



FREE PROJECT

THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.





KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
Α		43384M-2	1 1/8	(7) 5" x 42" strips for border.
В		43385M-2	1/3	(1) 3-7/8" x WOF strip; cut into (6) 3-7/8" squares and cut once on the diagonal. (2) 2-3/8" x WOF strips; cut into (30) 2-3/8" squares.
С		43385M-3	1/3	(1) 3-7/8" x WOF strip; cut into (6) 3-7/8" squares and cut once on the diagonal (2) 2-3/8" x WOF strips; cut into (30) 2-3/8" squares.
D		43386-2	1/3	(1) 3-7/8" x WOF strip; cut into (6) 3-7/8" squares and cut once on the diagonal (2) 2-3/8" x WOF strips; cut into (30) 2-3/8" squares.
E		43386-4	1/2	(1) 3-7/8" x WOF strip; cut into (6) 3-7/8" squares and cut once on the diagonal. (2) 2-3/8" x WOF strips; cut into (30) 2-3/8" squares.
F		43387-4	5/8	(7) 2-1/2" x WOF strips for binding
G	STATE OF THE PARTY	43388-1	1	(3) 3-7/8" x WOF strips; cut into (24) 3-7/8" squares and cut once on the diagonal. (8) 2-3/8" x WOF strips; cut into (120) 2-3/8" squares.
Н	Secretaring P. Secret	43388-2	1/3	(1) 3-7/8" x WOF strip; cut into (6) 3-7/8" squares and cut once on the diagonal. (2) 2-3/8" x WOF strips; cut into (30) 2-3/8" squares.
I	Freider Conditions of the Condition of t	43388-4	1/3	(1) 3-7/8" x WOF strip; cut into (6) 3-7/8" squares and cut once on the diagonal. (2) 2-3/8" x WOF strips; cut into (30) 2-3/8" squares.
J		43389M-1	1	(3) 3-7/8" x WOF strips; cut into (24) 3-7/8" squares and cut once on the diagonal. (8) 2-3/8" x WOF strips; cut into (120) 2-3/8" squares.
К		43389M-4	1/2	(1) 3-7/8" x WOF strip; cut into (6) 3-7/8" squares and cut once on the diagonal. (2) 2-3/8" x WOF strips; cut into (30) 2-3/8" squares.



L	43389M-5	1/2	(1) 3-7/8" x WOF strip; cut into (6) 3-7/8" squares and cut once on the diagonal. (2) 2-3/8" x WOF strips; cut into (30) 2-3/8" squares.
М	37098-52 *Palette	1/8	(2) 1-1/2" x WOF strips; cut into (35) 1-1/2" squares.
N	37098-56 *Palette	1	(3) 1-1/2" x 9-1/2" strips; cut into (58) 1-1/2" x 9-1/2" strips.
	Backing	3 1/2	
			58" x 78" piece of batting

PIECING INSTRUCTIONS

Blocks

1. Draw a diagonal line on the wrong side of each $\bf J$ square.



2. Position a marked square on a 2-3/8" $\bf B$ square. Sew ¼" on each side of the drawn line. Cut on the line and press both units open. Trim to measure 2" square. Make a total of (60) $\bf B/J$ small half-square triangle (HST) units.







3. Sew 1 **B** triangle and 1 **J** triangle together to make a large half-square triangle (HST) unit. Make a total of 12 **B/J** large HST units.





4. Sew (2) B/J small HST units together as shown. Sew (3) **B/J** small HST units together as shown.







5. Sew the shorter unit to the side of (1) **B/J** large HST unit and the longer unit to the top, noting orientation to complete a B/J quarter block that measures 5" square. Make a total of 12 quarter blocks.





6. In the same way, make 12 each C/J, D/J, E/J, H/G, I/G, K/G and L/G quarter blocks.

















7. To make Block #1, lay out (4) quarter blocks: **D/J**, **K/G**, **L/G** and **E/J**. Sew the quarter blocks into rows and join the rows to make Block #1. Block should measure 9-1/2" square. Make a total of (12) #1 blocks.





8. In the same way, make Block #2 using **B/J**, **I/G**, **H/G** and **C/J** quarter blocks. Make a total of (12) #2 blocks.







Assembly

- 1. Lay out (2) #1 blocks and (2) #2 blocks alternating with (5) \mathbf{N} 1-1/2" x 9-1/2" sashing strips as shown. Sew the pieces together to make an odd row. Make (3) odd rows.
- 2. Lay out (2) #1 blocks and (2) #2 blocks alternating with (5) \mathbf{N} 1-1/2' x 9-1/2" sashing strips as shown. Sew the pieces together to make an even row. Make (3) even rows.
- 3. Lay out (5) **M** 1-1/2" squares alternating with (4) **N** 1-1/2" \times 9-1/2" sashing strips. Sew the pieces together to make a sashing row. Make (7) sashing rows.
- 4. Lay out the even and odd rows alternating with the sashing rows. Join the rows together to complete the quilt center.
- 5. Sew the (7) A 5" x WOF strips short ends together. Measure the quilt length and cut (2) strips to that length. Sew to the sides of the quilt. Measure the quilt width including the borders just added and cut (2) strips to that length. Sew to the to and bottom of the quilt.

Finishing

- 1. Layer the backing, batting and quilt top. Baste the layers together and quilt as desired.
- 2. Use the (7) \mathbf{F} 2-1/2" x WOF strips short ends together and use to bind the quilt.



Quilt Assembly Diagram

