
BEGINNER SKILL

Dodge City

Designed by Wendy Sheppard Featuring *Sundance* by *Whistler Studios* _{SIZE: 54" × 54"}



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.





Dodge City

WOF = Width of Fabric

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
		318355	1-2/3	(4) 4-1/2" x WOF strips; subcut (98) 1-1/2"x 4-1/2" rectangles (4) 6-1/2" x WOF strips; subcut (98) 1-1/2" x 6-1/2" rectangles.
A		Linen White	1-2/3	Sashing Blocks (3) 1-1/2" x WOF strips; subcut (84) 1-1/2" squares.
В		53053A-6 Denim	1/4	(1) 4-1/2" x WOF strip; subcut (6) 4-1/2" squares.
С		53053A-7 Light Brown	1/4	(1) 4-1/2" x WOF strip; subcut (4) 4-1/2" squares.
D		53108-1 Tan	1/4	(1) 4-1/2" x WOF strip; subcut (7) 4-1/2" squares.
Е		53109-1 Tan	1/4	(1) 4-1/2" x WOF strip; subcut (5) 4-1/2" squares.
F	AS C	53109-2 Dark Brown	1/4	(1) 4-1/2" x WOF strip; subcut (3) 4-1/2" squares.
G	5-8-5	53109-3 Indigo	1/4	(1) 4-1/2" x WOF strip; subcut (3) 4-1/2" squares.
н	() ;;; × , *() =∮	53110-5 Charcoal Binding Included	3/4	Binding: (6) 2-1/4" x WOF strips. (1) 4-1/2" x WOF strip; subcut (4) 4-1/2" squares.
I		53110-6 Denim	1/4	(1) 4-1/2" x WOF strip; subcut (5) 4-1/2" squares.
J	R.C.C	53111-1 Tan	1/4	(1) 4-1/2" x WOF strip; subcut (6) 4-1/2" squares.
К	A ST	53111-3 Indigo	1/4	(1) 4-1/2" x WOF strip; subcut (4) 4-1/2" squares.

PROJECT DISCLAIMER: Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however, no warranty can be given nor results guaranteed. Therefore, we assume no responsibility nor damages that may occur when referring to this pattern. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. We suggest you check **windhamfabrics.com** for pattern updates and to test the pattern prior to making the project. Test templates first, before cutting all the pieces. Free projects are not for resale.



Dodge City

WOF = Width of Fabric

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
L		52782-49 Graphite	1/4	(1) 4-1/2" x WOF strip; subcut (2) 4-1/2" squares.
М		52782-2 Sand	1-1/2	Sashing (4) 3" x WOF strips; subcut (96) 1-1/2" x 3" rectangles. (2) 6-1/2" x WOF strips; subcut (36) 1-1/2" x 6-1/2" rectangles. Outer Border (6) 3-1/2" x WOF strips. Piece strips and subcut (2) 3-1/2" x 48-1/2" and (2) 3-1/2" x 54-1/2" strips.
		Backing	3-1/2	60" x 60" piece of batting.


SQUARE BLOCKS

1. Sew (2) A 1-1/2" x 4-1/2" rectangles to the left and right sides of (1) L 4-1/2" square.

Α

2. Sew (2) A 1-1/2" x 6-1/2" rectangles to the remaining top and bottom sides of same L square to complete (1) Block. Make (2).





Make (2) of L


3. Using fabric **A**, repeat **Steps 1-2** to make a total number of **Blocks**:

Make (3) of each



Make (5) of Each





MAKE (6) OF EACH

В









VERTICAL SASHING


4. Sew (2) **M** 1-1/2" x 3" rectangles to the opposite sides of (1) **A** 1-1/2" square. Make (42).

м	Α	М		
			M AKE (42)	

QUILT TOP ASSEMBLY

REFERENCE QUILT ASSEMBLY DIAGRAM ON PAGE 4.

Pieced Rows: Arrange and sew (7) Square Blocks and (6) Vertical Sashing to make (7) rows total.
Row 1 is shown as an example.




6. Sashing Rows: Sew together (7) A 1-1/2" squares and (6) M 1-1/2" x 6-1/2" rectangles. Then add (2) M 1-1/2" x 3" rectangles to the opposite short sides to complete (1) Sashing Row. Make (6).



7. Sew together (7) Pieced Rows and (6) Sashing Rows to complete quilt center.

Row 1 is shown as an example.



Outer Border: Sew (2) M 3-1/2" x 48-1/2" strips to the left and right sides of quilt center; followed by (2) M 3-1/2" x 54-1/2" strips to the top and bottom sides of quilt center to complete quilt top.



Dodge City

QUILT ASSEMBLY DIAGRAM

		M 3-1/2" × 54-1/2"	
Row 1			
Row 2			
Row 3	12"		
Row 4	M 3-1/2" × 48-1/2"		
Row 5	Σ		
Row 6			
Row 7			
			12

FINISHING: Layer quilt top, batting and backing together to form quilt sandwich. Baste and quilt as desired. Bind using **H** 2-1/4" strips.