

Pocket Full of Posies

Designed by Jean K. Smith and Sue Pickering
Featuring the Dover Flannel collection by Rosemarie Lavin Design
Size: 64" x 79"










Check www.windhamfabrics.com Free Project section to see if there are any pattern updates before you start your quilt project

WINDHAM FABRICS

812 Jersey Ave ~ Jersey City, NJ 07310 ~ 201.659.0444 ~ FAX: 201.659.9719
www.windhamfabrics.com email: retail@windhamfabrics.com

Pocket Full of Posies

Page 2

Fabric Picture	Quantity	Fabric Number	Placement of Fabric	Cutting
	2 yards	40064-1 Navy	Outer Border Blocks	Cut four 7" <u>lengthwise</u> strips. Recut into two 65 7/8" for sides and two 64" for top and bottom. Fussy cut six 7 7/8" squares.
	3/4 yard	40067-3 Coral	Inner Border	Cut six 3 1/2" strips. Make two 51" long pieces for sides and two 59 7/8" pieces for top and bottom.
	1/2 yard	40064-2 Aqua	Block Centers	Fussy cut six 7 7/8" squares.
	1/2 yard	40065-1 Navy	Block Corners	Cut two 6 1/8" strips. Recut into twelve squares. Cut diagonally once.
	1/2 yard	40065-2 Aqua	Block Corners	Cut two 6 1/8" strips. Recut into twelve squares. Cut diagonally once.
	2 yards	40068-3 Coral	Background Large Setting Triangles Small Setting Corners	Cut two 11" strips. Recut into six squares. Cut three 16" strips. Recut into five 16" squares. Cut diagonally once. From remainder cut two 8 1/4" squares. Cut once diagonally.
	5/8 yard	40066-2 Aqua	Binding	Cut seven 2 1/4" strips. Sew together with diagonal seams.
	4 yards	40066-1 Navy	Backing	Make two 2 yard pieces. Sew together at selvages. Seam will run horizontal to the quilt top.

Pocket Full of Posies

Page 3

Before You Start

- Success with this pattern starts with reading the directions through to the end!
- If you have any questions about the processes suggested here, check first with your local quilt shop. Look on line for helpful videos.
- Cut fabric strips across the width of the fabric unless otherwise indicated.
- Now is the time to accurately cut, sew with a ¼" seam allowance, press diligently and be patient and enjoy each step in the creation of this design.
- This pattern may have some fabric leftover. (Not always a bad thing!)
- Flannel fabrics are thick. We suggest pressing seams open to avoid bulky intersections!
- To minimize stretching of the diagonal cuts of the coral setting triangles we use spray starch before cutting.

Assembly Directions

1. Fussy cut all block centers. Sew a block corner to each side to make an 11" unfinished block. Refer to picture for correct fabric placement.
2. We will make diagonal rows alternating a pieced block with a coral background square. They will begin with either a small corner triangle or a large setting triangle. It will help you to use a design wall for correct placement. Lay out the entire quilt before sewing a row together.
3. Join the rows together to make quilt top center.
4. Sew the side inner border pieces to the quilt top. Then add the top and bottom inner border pieces.
5. Sew the side outer border pieces to the quilt top. Then add the top and bottom outer border pieces.
6. Make quilt sandwich and quilt as desired, bind and cuddle up!

Be sure to visit www.windhamfabrics.com to see the complete collection and to download this and other Free Projects