Designed by Stephanie Sheridan of Stitched Together Studios Featuring the Glisten Collection by Whistler Studios Size: 65" x 78"



Check www.windhamfabrics.com Free Project section to see if there are any pattern updates before you start your quilt project



Page 2

^{*=} Sew together via short ends using a straight seam, then go to assembly instructions.

	Key	SKU	Yardage	# of WOF strips	Cut	Subcut
	A	40298M-1 Gold	1/4 YD +			(2) 6-1/2" squares (fussy cut)
* *	В	40299M-1 Gold	1/4 YD +			(2) 6-1/2" squares (fussy cut)
Make	С	40300M-1 Gold	1/2 YD +			(6) 6-1/2" squares (fussy cut)
	D	40301M-1 Gold	1/2 YD	4	3-1/2"	(40) 3-1/2" squares
***	E	40302M-1 Gold	1/4 YD	1	6-1/2"	(4) 6-1/2" squares
***	F	40302M-2 Silver	2 YD	6 5 7 12*	4" 1-1/2"	(60) 4" squares (15) 1-1/2" X 12-1/2" strips (40) 1-1/2" X 6-1/2" strips (4) 1-1/2" X 51-1/2" strips (2) 1-1/2" X 53-1/2" strips (2)1-1/2" X 64-1/2" strips
	G	40303M-1 Gold	2 1/4 YD	7* 2 8	6-1/2" 4" 2-1/4"	(2) 6-1/2" X 53-1/2" strips (2) 6-1/2" X 66-1/2" strips (40) 1-1/2" X 6-1/2" strips (20) 4" squares FOR BINDING
	Н	40303M-2 Silver	2/3 YD	7	2-1/2"	(40) 2-1/2" X 6-1/2" strips
73 4 5	I	40304M-2 Silver Pearl	1/2 YD	4	4"	(40) 4" squares
	J	38934DM-1 Metallic Gold	1/2 YD	4	4"	(40) 4" squares



⁺⁼ Extra fabric allowed for fussy cutting


Page 3

Piecing Instructions:

Note: All seam allowances are 1/4"

HALF SQUARE TRIANGLE UNITS

- 1. Take (1) 4" **G** square and (1) 4" **F** square and place right sides together. Draw diagonal line on wrong side of **F** square, then sew seam ¼" on both sides of drawn line. Cut on drawn line, then press the (2) half square triangles (HST) open with the seam allowance towards **G** fabric. Square to 3-1/2". Repeat to make (40) **GF units**.
- 2. Repeat Step 1 using (20) I 4" squares and (20) F 4" squares to create (40) IF units.
- 3. Repeat Step 1 using (20) J 4" squares and (20) F 4" squares to create (40) JF units.
- 4. Repeat Step 1 using (20) I 4" squares and (20) J 4" squares to create (40) IJ units.












STRIP UNITS:


5. Sew (1) **H** 2-1/2" X 6-1/2" strip to (1) **F** 1-1/2" X 6-1/2" strip to create **HF unit**. Repeat to make (40) **HF units**.




BLOCKS 1, 2 and 3:

- 6. Sew (1) **HF unit** to each side of (1) **C** 6-1/2" block. Sew (1) **GF unit** to each side of (1) **HF unit**, make (2) then sew to top and bottom to compete BLOCK 1, square to 12-1/2", make (6).
- 7. Sew (1) **HF unit** to each side of (1) **B** 6-1/2" block. Sew (1) **GF unit** to each side of (1) **HF unit**, make (2) then sew to top and bottom to compete BLOCK 1, square to 12-1/2", make (2).
- 8. Sew (1) **HF unit** to each side of (1) **A** 6-1/2" block. Sew (1) **GF unit** to each side of (1) **HF unit**, make (2) then sew to top and bottom to compete BLOCK 1, square to 12-1/2", make (2).









Page 4

BLOCK 4:


9. Sew the following together in rows, then sew rows together to create BLOCK 4. Square to 12-1/2", make (10).

Row 1: **D** 3-1/2" square – **IF** Unit – **JF** Unit – **D** 3-1/2" square

Row 2: JF unit - IJ unit - IJ unit - IF unit

Row 3: IF unit - IJ unit - IJ unit - JF unit

Row 4: **D** 3-1/2" square - **JF** Unit - **IF** Unit - **D** 3-1/2" square



Assembly Instructions: (Refer to cover image for proper placement and rotation of blocks)

Quilt Assembly:

10. Sew blocks and sashing strips together into horizontal rows.

ROWS 1, 3 & 5: Block 1 – **F** 1-1/2" X 12-1/2" strip - Block 4 - **F** 1-1/2" X 12-1/2" strip - Block 4 – **F** 1-1/2" X 12-1/2" strip - Block 1

ROW 2: Block 4 – **F** 1-1/2" X 12-1/2" strip - Block 2 – **F** 1-1/2" X 12-1/2" strip - Block 3 – **F** 1-1/2" X 12-1/2" strip - Block 4

ROW 4: Block 4 – **F** 1-1/2" X 12-1/2" strip - Block 3 – **F** 1-1/2" X 12-1/2" strip - Block 2 – **F** 1-1/2" X 12-1/2" strip - Block 4

11. Sew rows together with (1) F 1-1/2" X 51-1/2" sashing strips between each row.

Border Assembly:

BORDER #1:

12. Sew (1) **F** 1-1/2" X 64-1/2" strip to each side of quilt, then sew (1) **F** 1-1/2" X 53-1/2" strip to the top and bottom of quilt.

BORDER #2:

13. Sew (1) **G** 6-1/2" X 66-1/2" strip to each side of quilt. Sew (1) **E** 6-1/2" square to each end of (1) **G** 6-1/2" X 53-1/2" strip, make (2), then sew to top and bottom of quilt.

Finishing:

Backing and batting should be 8" larger than finished quilt top. Layer your backing, batting and quilt top, then quilt as desired. Bind using your preferred method ... and enjoy!

Be sure to visit www.windhamfabrics.com to see the complete collection and to download this and other Free Projects

