

INTERMEDIATE  
SKILL

# Harbor Light

designed by Wendy Sheppard  
featuring the *Beacon* collection by Whistler Studios

SIZE: 78" x 86"

FREE  
PROJECT



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.










**PLEASE NOTE:** BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.



# Harbor Light

**PROJECT DISCLAIMER:** Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however, no warranty can be given nor results guaranteed. Therefore, we assume no responsibility nor damages that may occur when referring to this pattern. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. We suggest you check [windhamfabrics.com](http://windhamfabrics.com) for pattern updates and to test the pattern prior to making the project. Test templates first, before cutting all the pieces. Free projects are not for resale.







WOF = WIDTH OF FABRIC

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
A		53638-2 Red	3/8	(3) 2-1/2" x WOF strips; subcut (12) 2-1/2" x 8-1/2" rectangles. (2) 1-1/2" x WOF strips; subcut (12) 1-1/2" x 4-1/2" rectangles.
B		53636-1 Blue	1/4	(3) 1-1/2" x WOF strips; subcut (2) 1-1/2" x 10-1/2" • (4) 1-1/2" x 8-1/2" • (2) 1-1/2" x 6-1/2" • (2) 1-1/2" x 5-1/2" (2) 1-1/2" x 4-1/2" • (2) 1-1/2" x 3-1/2" • (2) 1-1/2" x 2-1/2" (2) 1-1/2" x 2-1/4" rectangles and (2) 1-1/2" squares.
C		53637-1 Blue INCLUDES BINDING	1	<b>Binding:</b> (9) 2-1/4" x WOF strips. (5) 1-1/2" x WOF strips; subcut (3) 1-1/2" x 10-1/2" • (6) 1-1/2" x 8-1/2" • (3) 1-1/2" x 6-1/2" • (3) 1-1/2" x 5-1/2" (3) 1-1/2" x 4- 1/2" • (3) 1-1/2" x 3-1/2" • (3) 1-1/2" x 2-1/2" (3) 1-1/2" x 2-1/4" rectangles and (3) 1-1/2" squares.
D		53635-3 Ivory	1/4	(2) 2-1/2" x WOF strips; subcut (6) 2-1/2" x 8-1/2" and (2) 2-1/2" x 4-1/2" rectangles.
E		53639-2 Red	1/3	(3) 2-1/2" x WOF strips; subcut (40) 2-1/2" squares.
F		53634-3 Ivory	1/8	(1) 2-1/2" x WOF strip; subcut (3) 2-1/2" x 8-1/2" and (1) 2-1/2" x 4-1/2" rectangles.
G		53633-3 Ivory	1-3/8	<b>Outer Border:</b> (9) 4-1/2" x WOF strips. Piece strips and subcut (4) 4-1/2" x 78-1/2" strips.
H		53633-1 Blue	1/3	(5) 1-1/2" x WOF strips; subcut (3) 1-1/2" x 10-1/2" • (6) 1-1/2" x 8-1/2" • (3) 1-1/2" x 6-1/2" • (3) 1-1/2" x 5-1/2" (3) 1-1/2" x 4- 1/2" • (3) 1-1/2" x 3-1/2" • (3) 1-1/2" x 2-1/2" (3) 1-1/2" x 2-1/4" rectangles and (3) 1-1/2" squares.
I		53637-3 Ivory	3/8	(4) 2-1/2" x WOF strips; subcut (12) 2-1/2" x 8-1/2" and (4) 2-1/2" x 4-1/2" rectangles.



# Harbor Light

WOF = WIDTH OF FABRIC


KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
J		53638-8 Chambray	1/4	(3) 1-1/2" x WOF strips; subcut (2) 1-1/2" x 10-1/2" • (4) 1-1/2" x 8-1/2" • (2) 1-1/2" x 6-1/2" • (2) 1-1/2" x 5-1/2" (2) 1-1/2" x 4- 1/2" • (2) 1-1/2" x 3-1/2" • (2) 1-1/2" x 2-1/2" (2) 1-1/2" x 2-1/4" rectangles and (2) 1-1/2" squares.
K		53634-1 Blue		
L		53633-4 Taupe	1/3	(3) 2-1/2" x WOF strips; subcut (9) 2-1/2" x 8-1/2" and (3) 2-1/2" x 4-1/2" rectangles.
M		53639-3 Ivory	1/4	(2) 2-1/2" x WOF strips; subcut (6) 2-1/2" x 8-1/2" and (2) 2-1/2" x 4-1/2" rectangles.
N		53638-4 Taupe	1/3	(4) 1-1/2" x WOF strips; subcut (12) 1-1/2" x 12-1/2" rectangles. (1) 1" x WOF strip; subcut (12) 1" x 2-1/2" rectangles.
O		53638-3 Ivory	4-1/2	<p><b>a. Pieced Block:</b> (5) 1-1/2" x WOF strips; subcut (12) 1-1/2" x 2-1/4" rectangles and (108) 1-1/2" squares.</p> <p>(14) 2-1/2" x WOF strips; subcut (24) 2-1/2" x 13-1/2" • (12) 2-1/2" x 6-1/4" • (12) 2-1/2" x 4-1/2" rectangles and (24) 2-1/2" squares.</p> <p>(3) 3-1/2" x WOF strips; subcut (24) 3-1/2" x 4-1/2" rectangles.</p> <p><b>b. Sashing Rectangles:</b> (16) 4-1/2" x WOF strips; subcut (15) 4-1/2" x 20-1/2" and (16) 4-1/2" x 12-1/2" rectangles.</p> <p><b>c. Cornerstones:</b> (1) 4-1/2" x WOF strip; subcut (40) 1" x 4-1/2" rectangles. (1) 3-1/2" x WOF strip; subcut (40) 1" x 3-1/2" rectangles. (3) 2-1/2" x WOF strips; subcut (40) 2-1/2" squares.</p> <p><b>d. Inner Border:</b> (8) 1-1/2" x WOF strips. Piece strips and subcut (2) 1-1/2" x 70-1/2" and (2) 1-1/2" x 76-1/2" strips.</p>
		Backing	7-1/4	86" x 94" piece of batting.



# Harbor Light

## PIECED BLOCK ASSEMBLY

1. Sew (1) **H** 1-1/2" x 5-1/2" rectangle to the left, and (1) **H** 1-1/2" x 2-1/2" rectangle to the right sides of (1) **O** 1-1/2" square to make a row unit. Then add (1) **H** 1-1/2" x 8-1/2" rectangle to the bottom of row unit, as shown.



2. Sew (1) **H** 1-1/2" square to the left, and (1) **H** 1-1/2" x 6-1/2" rectangle to the right sides of (1) **O** 1-1/2" square to make a row unit.




3. Sew (1) **H** 1-1/2" x 4-1/2" rectangle to the left, and (1) 1-1/2" x 3-1/2" rectangle to the right sides of (1) **O** 1-1/2" square to make another row unit.



4. Sew both row units (Step 2-3) to the opposite long sides of (1) **H** 1-1/2" x 8-1/2" rectangle, as shown.




5. Alternating with (3) **L** 2-1/2" x 8-1/2" rectangles, sew together Step 1 and 4 row units to create a lighthouse unit, measuring 8-1/2" x 11-1/2" unfinished.






# Harbor Light

6. Draw a diagonal line on the wrong side of (1) **O** 2-1/2" square. Place square, right sides together, at a corner of (1) **A** 2-1/2" x 8-1/2" rectangle. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal **O** corner triangle. Repeat with another **O** 2-1/2" square at the opposite corner of the same **A** rectangle to complete sewn unit.




7. Add unit from Step 6 to the top of the lighthouse unit, followed by (2) **O** 2-1/2" x 13-1/2" rectangles to the left and right sides.



8. Repeat Step 6 using (2) **O** 1-1/2" squares and (1) **A** 1-1/2" x 4-1/2" rectangle.




9. Add (1) **L** 2-1/2" x 4-1/2" rectangle to the bottom of Step 8, followed by (2) **O** 3-1/2" x 4-1/2" rectangles to the left and right sides to make the lighthouse beacon unit, measuring 3-1/2" x 12-1/2" unfinished.






# Harbor Light

10. Sew (1) **H** 1-1/2" x 2-1/4" rectangle on top of (1) **O** 1-1/2" x 2-1/4" rectangle. Then add (1) **N** 1" x 2-1/2" rectangle to the left of sewn unit, measuring 2-3/4" x 2-1/2" unfinished.




11. Sew (1) **O** 2-1/2" x 6-1/4" rectangle to the left, and (1) **O** 2-1/2" x 4-1/2" rectangle to the right sides of previous unit to make a flag row unit. Unit measures 2-1/2" x 12-1/2" unfinished.



12. Repeat Step 6 using (2) **O** 1-1/2" squares and (1) **H** 1-1/2" x 10-1/2" rectangle.



13. Add (2) **O** 1-1/2" squares to the opposite short ends of Step 12. Then sew (1) **N** 1-1/2" x 12-1/2" rectangle to the bottom to make the base unit, measuring 2-1/2" x 12-1/2" unfinished.



14. Sew the flag row unit on top of the lighthouse beacon unit to make a lighthouse top unit.





# Harbor Light

15. Add the lighthouse top unit on top of the lighthouse unit. Then add the base unit to the bottom to complete (1) Pieced Block, measuring 12-1/2" x 20-1/2" unfinished.






PIECED BLOCK  
MAKE (3) OF H/L  
MEASURES: 12-1/2" x 20-1/2" unfinished



16. Repeat Steps 1-15 to make a total number of Pieced Blocks with the following fabric combinations:

MAKE (1) OF F/C

MAKE (2) OF EACH THE FOLLOWING.



D/K

I/B

I/J


M/C




# Harbor Light

## CORNERSTONE


17. Half-Square Triangle (HST): Draw a diagonal line on the wrong side of (1) **O** 2-1/2" square and place right sides together, on (1) **E** 2-1/2" square. Sew 1/4" seam on both sides of drawn line. Cut along drawn line. Open and press to yield (2) **E/O** HST Units. Square to 2" unfinished. Make (4) HST Units.



18. Noting rotation of HSTs, sew (4) into a Pinwheel Unit, as shown. Square to 3-1/2" unfinished.



19. Sew (2) **O** 1" x 3-1/2" rectangles to the left and right sides of the Pinwheel Unit, followed by (2) **O** 1" x 4-1/2" rectangles to the top and bottom sides to complete (1) Cornerstone, measuring 4-1/2" square unfinished. Make (20).









# Harbor Light

**QUILT ASSEMBLY** - REFER TO QUILT IMAGE FOR BLOCK PLACEMENT GUIDE.

20. Pieced Rows: Arrange and sew together (4) Pieced Blocks and (5)  $\bigcirc$  4-1/2" x 20-1/2" rectangles to make a Pieced Row. Make (3) rows. Row 1 is shown below.



21. Sashing Rows: Sew together (5) Cornerstones and (4)  $\bigcirc$  4-1/2" x 12-1/2" rectangles, as shown. Make (4) rows.



22. Sew together (3) Pieced Block Rows and (4) Pieced Sashing Rows to complete quilt center.

## BORDERS


23. Inner Border: Sew (2)  $\bigcirc$  1-1/2" x 76-1/2" strips to the left and right sides of quilt center, followed by (2)  $\bigcirc$  1-1/2' x 70-1/2" strips to the top and bottom of quilt center.

24. Outer Border: Sew (2) **G** 4-1/2" x 78-1/2" strips to the left and right sides of quilt center, followed by (2) **G** 4-1/2" x 78-1/2" strips to the top and bottom of quilt center to complete quilt top.



# Harbor Light

## QUILT ASSEMBLY



**FINISHING:** Layer quilt top, batting and backing together to form quilt sandwich. Baste and quilt as desired. Bind using **C** 2-1/4" pieced strip.