
Designed by Lori Hein Featuring Lancaster by Windham Fabrics SIZE: 72" x 72"



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.



KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
Α		42655-X Multi	5/8	(2) 8½" x WOF strips, subcut into (5) 8½" squares
В		42656-1 Green	1/3	(1) 81⁄2" x WOF strip, subcut into (4) 81⁄2" squares
С		42656-3 Charm	5/8	(3) 6 ½" x WOF strips, subcut into (16) 6 ½" squares
D		42657-2 Toast	1/3	(1) 8 ½" x WOF strip, subcut into (1) 8 ½" x 21" strip
E		42658-4 Red	7/8	(2) 4½" x WOF strips, subcut into (16) 4½" squares (8) 2 ¼" x WOF strips for binding
F		42658-5 Blue	1/2	(3) 4½" x WOF strips, subcut into (20) 4½" squares
G		42659-6 Gold	3/8	(1) 8 1⁄2" x WOF strip
н		32034 -7 Green *Marys Blenders	1-1/4	(3) 12 ½" x WOF strips, subcut into (48) 2 ½" x 12 ½" pieces
I		32034-3 Yellow *Marys Blenders	1/2	(3) 4 ½" x WOF strips, subcut into (12) 4 ½" x 8 ½" pieces
J		32034-10 Teal *Marys Blenders	1/2	(3) 4 ½" x WOF strips, subcut into (12) 4 ½" x 8 ½" pieces
к		32034-1 Red *Marys Blenders	1/2	(3) 4 ½" x WOF strips, subcut into (12) 4 ½" x 8 ½" pieces
L		32034-18 White *Marys Blenders	2	 (3) 61/2" x WOF strips, subcut into (48) 21/2" x 61/2" pieces (8) 4 1/2" x WOF strips, subcut into (72) 4 1/2" squares (3) 2 1/2" x WOF strips, subcut (1) strip into (2) 2 1/2" x 21" pieces
				Batting 80" Square
		Backing	4-1/4	



Sewing Instructions


Make the Blocks

1. Draw a diagonal line on the wrong side of 72 \mathbf{L} 4 $\frac{1}{2}$ " squares. Diagram 1



2. Lay a marked square right sides together on one end of 1 1 4 1/2" x 8 1/2" piece. Sew on the diagonal line, trim seam allowance to $\frac{1}{4}$ ", and press open. Repeat on the opposite end to make a I flying geese unit. Make 12 I flying geese units.

Diagram 2



3. In the same way, make 12 J flying geese units and 12 K flying geese units. Diagram 3



4. Sew E 4 1/2" squares to both ends of an I flying geese unit. Make 2. Sew E 4 1/2" squares to both ends of a **J** flying geese unit. Make 6. Sew **F** $4 \frac{1}{2}$ squares to both ends of an **I** unit. Make 4. Sew **F** 4 $\frac{1}{2}$ " squares to both ends of a **K** unit. Make 6.



Make 2

Make 4



Make 6




5. Sew 2 I flying geese units to opposite sides of 1 **B** 8 $\frac{1}{2}$ " square. Sew the **I/E** flying geese units from step 4 to the top and bottom of the block. The block should measure 16 $\frac{1}{2}$ " square. Diagram 5




Make 1

6. In the same way, make the remaining blocks using the indicated color combinations. Diagram 6




Making the Sashing Units

Sew L $2\frac{1}{2}$ " x WOF strips lengthwise to opposite sides of 1 G $8\frac{1}{2}$ " x WOF strip. Press. Cross-cut into 16 L/G/L 2 $\frac{1}{2}$ " wide segments. In the same manner, use L $2\frac{1}{2}$ " x 21" strips and 1 D $8\frac{1}{2}$ " x 21" strip to make a strip set and cut 8 L/D/L $2\frac{1}{2}$ " wide segments. Diagram 7






8. Sew **H** 2 ½" x 12 ½" pieces to both long sides of each **L/G/L** and **L/D/L** segment. Diagram 8



9. Sew **L** 2 $\frac{1}{2}$ " x 6 $\frac{1}{2}$ " pieces to the top and bottom of each segment to make a total of 16 **G** sashing units and 8 **D** sashing units.



Assembly

Referring to the Quilt Layout Diagram, lay out 3 blocks alternating with 4 sashing units, noting color placement, to make a block row. Make 3. Lay out 3 sashing units alternating with C 6 $\frac{1}{2}$ " squares, noting color placement, to make a sashing row. Make 4.

Sew the blocks, units and squares together into rows. Join the block rows and sashing rows to complete the quilt top.

Lay the backing face down, batting and quilt top face up. Baste the layers together and quilt as desired. Use the 8 E 2 ¼" x WOF strips to bind the quilt.



Quilt Layout Diagram

