
ADVANCED

SKILL

Indigo Manor

Designed by Wendy Sheppard Featuring *Jasper Blue* by *Whistler Studios* _{SIZE: 60" × 72"}



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.





PROJECT DISCLAIMER: Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however, nowarranty can be given nor results guaranteed. Therefore, we assume no responsibility nor damages that may occur when referring to this pattern. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. We suggest you check **windhamfabrics.com** for pattern updates and to test the pattern prior to making the project. Test templates first, before cutting all the pieces. Free projects are not for resale.

NOTE: Mark and store cutting pieces according to the block they have been assigned to. This will ease piecing. To prevent confusion when assembling the quilt, mark any pieced triangles and squares. **Before you start, read the entire pattern.**

WOF= WIDTH OF FABRIC

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
Α		54366-1 Ivory	1	OUTER BORDER : (7) 4" x WOF strips. Piece strips and subcut (2) 4" x 60-1/2" strips and (2) 4" x 65-1/2" strips.
В		54369-2 Indigo	3/4	 BLOCKS 1 AND 9: (1) 3-1/2" x WOF strip; subcut (2) 3-1/2" x 12-1/2" rectangles and (4) 1-1/2" squares. BLOCK 2: (1) 5-1/2" x WOF strip; subcut (4) 3" x 5-1/2" rectangles and (1) 5-1/2" square. BLOCK 4: (1) 3" x WOF strip; subcut (4) 3" and (4) 1-1/2" squares. BLOCKS 3, 5 AND 8: (1) 6" x WOF strip; subcut Block 3 - (1) 6" and (2) 3" squares. Block 5 - (2) 2-1/2" x 4-1/2" rectangles, (2) 1-1/2" x 6-1/2" strips and (2) 1-1/2" x 8-1/2" strips. Block 8 - (4) 2-1/2" x 4-1/2" rectangles. BLOCKS 3, 6 AND 7: (1) 3-1/2" x WOF strip; subcut Block 3 - (2) 3-1/2" squares. Block 6 - (4) 1-1/2" x 5-1/2" rectangles. Block 7 - (4) 3" squares.
С	10 10 10 10 10 10 10 10 10	54371-1 Ivory	1/2	 BLOCKS 1 AND 6: (3) 3" x WOF strips; subcut (12) 3" squares and (8) 3" x 5-1/2" rectangles. BLOCK 8: (2) 2-1/2" x WOF strips; subcut (2) 2-1/2" x 6-1/2", (2) 2-1/2" x 4-1/2" and (2) 2-1/2" x 3-1/2" rectangles, and (12) 2-1/2" squares.
D		54367-3 Blue Iris	1/8	BLOCKS 3 AND 7: (1) 3-1/2" x WOF strip; subcut (2) 3-1/2" x 12-1/2" rectangles and (4) 1-1/2" squares.



WOF = WIDTH OF FABRIC HST = HALF SQUARE TRIANGLE

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
E		54370-6 Denim	7/8	 BLOCKS 6 AND 9: (1) 6-7/8" x WOF strip; subcut (1) 6-7/8" and (1) 2-7/8" squares. Cut squares diagonally once to yield (2) large HST's and (2) small HST's. Will use only (1) 6-7/8" HST for Block 9. From the remainder, cut (4) 2" x 5-1/2" rectangles for Block 6. INNER BORDER 2: (6) 1-1/2" x WOF strips. Piece strips and subcut (2) 1-1/2" x 63-1/2" and (2) 1-1/2" x 53-1/2" strips. BLOCKS 2, 4, 7, 8 AND 9: (1) 3" x WOF strip; subcut (12) 3" squares. (1) 3-1/2" x WOF strip; subcut (2) 3-1/2" and (4) 1-1/2" squares, and (1) 2-1/2" x 4-1/2" rectangle.
F		54368-5 Chambray	3/8	 BLOCK 1: (1) 5-1/2" x WOF strip; subcut (1) 5-1/2" and (8) 3" squares. BLOCK 5: (1) 1-1/2" x WOF strip; subcut (2) 1-1/2" x 8-1/2" strips and (2) 1-1/2" x 10-1/2" strips. BLOCKS 7 AND 9: (1) 3" x WOF strip; subcut Block 9 - (4) 3" squares. Block 7 - (2) 2-1/2" squares and (1) 2-1/2" x 6-1/2" strip.
G		54370-7 Sapphire	1/3	BLOCKS 2, 4, 6 AND 8: (2) 3-1/2" x WOF strips; subcut (4) 3-1/2" x 12-1/2" rectangles and (8) 1-1/2" squares.
Н		31835 Linen White	2-1/4	 CORNERSTONES: (4) 1-1/2" x WOF strips. SASHING BLOCKS: (20) 1-1/2" x WOF strips. INNER BORDER 1: (6) 2" x WOF strips. Piece strips and subcut (2) 2" x 60-1/2" strips and (2) 2" x 51-1/2" strips. ROOF BLOCKS: (2) 3-1/2" x WOF strips; subcut (18) 3-1/2" squares. (3) 1-1/2" x WOF strips; subcut (18) 1-1/2" x 3-1/2" rectangles and (9) 1-1/2" x 4-1/2" rectangles. HOUSE UNITS 1-9: (6) 1-1/2" x WOF strips; subcut (18) 1-1/2" x 10-1/2" strips.



WOF = WIDTH OF FABRIC HST = HALF SQUARE TRIANGLE

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
				BLOCK 2: (1) 3-1/2" x WOF strip; subcut (2) 3-1/2" and (8) 3" squares.
	54369-1 Ivory	3/8	BLOCK 4: (1) 3" x WOF strip; subcut (8) 3" and (4) 1-1/2" squares.	
		lvory	3/8 BLOCK 9: (1) 3" (6) 3" and (2) 2 strips. Cut the (4) HST's. 1/8 BLOCK 5: (1) 3-1 (1) 3-1/2" x 12 1/3 BLOCKS 1-9: (3) (9) 2-1/2" x 12 CORNERSTONE	BLOCK 9: (1) 3" x WOF strip; subcut (6) 3" and (2) 2-7/8" squares, and (2) 2-1/2" x 8-1/2" strips. Cut the 2-7/8" squares diagonally once to yield (4) HST's.
J		54367-2 Indigo	1/8	BLOCK 5: (1) 3-1/2" x WOF strip; subcut (1) 3-1/2" x 12-1/2" rectangle and (2) 1-1/2" squares.
к		54370-1 Ivory	1/3	BLOCKS 1-9: (3) 2-1/2" x WOF strips; subcut (9) 2-1/2" x 12-1/2" rectangles.
L		54372-8 Periwinkle INCLUDES BINDING	1-1/3	CORNERSTONES: (5) 1-1/2" x WOF strips. SASHING BLOCKS: (10) 1-1/2" x WOF strips. BINDING: (7) 2-1/4" x WOF strips.
М		54368-1 Ivory	1/3	 BLOCKS 3, 5 AND 7: (1) 6" x WOF strip; subcut (1) 6", (2) 3-1/2", (10) 3" and (10) 2-1/2" squares. Block 5 - (1) 1-1/2" x WOF strip; subcut (2) 1-1/2" x 4-1/2" and (2) 1-1/2" x 6-1/2" rectangles, and (4) 1-1/2" squares.
		Backing	4	68" x 80" batting piece.



HOUSE BLOCKS

Note: House Blocks consist of roof (finished 4" x 12") and house (finished 10" x 12") units. Roof Units are the same for all Blocks, House Units are different for Blocks 1-9.

Roof Units: Draw a diagonal line on the wrong side of (1) H 3-1/2" square. Place square, right sides together (RST), at a corner of (1) B 3-1/2" x 12-1/2" rectangle. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal H corner triangle. Repeat with another H square at the opposite end of the same B rectangle to complete sewn unit.



Sew (2) B 1-1/2" squares to the opposite short sides of (1) H 1-1/2" x 4-1/2" rectangle, followed by (2) H 1-1/2" x 3-1/2" rectangles.



3. Sew together units made in **Steps 1-2** to complete (1) **Roof Unit**, measuring 4-1/2" x 12-1/2" raw edge to raw edge. Make (2).



4. Make a total number of **Roof Units** using **H** and the following fabrics:



Make (4) of G/H

Make (2) of D/H

Make (1) of J/H


HOUSE UNIT 1

5. Block Center: Draw a diagonal line on the wrong side of (1) 3" C square. Place square, right sides together (RST), at a corner of (1) 5-1/2" F square. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal C corner triangle. Repeat with (3) additional 3" C squares at the remaining corners of the same 5-1/2" F square to complete (1) block center. Unit should measure 5-1/2" square.





6. Flying Geese Units. Draw a diagonal line on the wrong side of (1) 3" F square. Place square, RST, at a corner of (1) 3" x 5-1/2" C rectangle. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal F corner triangle. Repeat with another 3" F square at the opposite corner of the same 3" x 5-1/2" C rectangle to complete (1) flying geese unit. Make a total of (4) flying geese units. Unit should measure 3" x 5-1/2".



Make (4) C/F units

House Unit 1

- **7.** Sew (1) flying geese unit to each side of block center to make a row unit, measuring 5-1/2" x 10-1/2" raw edge to raw edge.
- Sew (2) 3" C squares to the opposite short sides of (1) flying geese unit to make a row unit. Make a total of (2) row units, measuring 3" x 10-1/2" raw edge to raw edge.
- **9.** Sew together row units made in **Steps 7** and **8** to complete **House Unit 1**, measuring 10-1/2" square, raw edge to raw edge.




Measures 5-1/2" x 10-1/2"



Make (2) Measures 3" x 10-1/2"





Measures 10-1/2" square

HOUSE UNIT 2

10. Block Center: Repeat Step 5 using (4) 3" E squares and (1) 5-1/2" B square. Unit measures 5-1/2" square.



Block Center (HU2)




11. Flying Geese Units: Repeat Step 6 using (2) 3" I squares and (1) 3" x 5-1/2" B rectangle.



Make (4) B/I units

12. HST Units. Draw a diagonal line on the wrong side of (1) 3-1/2" I square. Place square, RST, on (1) 3-1/2" E square. Sew 1/4" away from both sides of drawn line. Cut along drawn line. Open and press to yield (2) HST units. Align diagonal seam of HST units against 45-degree line on quilting ruler, square up HST units to measure 3" square, raw edge to raw edge. Make a total of (4) HST units.





Sew 1/4" away from both sides of drawn line. Cut along drawn line.





Make (4) Square to 3"

- 13. Sew (1) flying geese unit to each side of block center to make a row unit, measuring 5-1/2" x 10-1/2" raw edge to raw edge.
- **14.** Sew (1) HST unit to each short side of (1) flying geese unit to make a row unit. Make a total of (2) row units, measuring $3'' \times 10-1/2''$ raw edge to raw edge.
- **15.** Sew together row units to complete House Unit 2, measuring 10-1/2" square.





Measures 5-1/2" x 10-1/2"

Step 14



Make (2)

Measures 3" x 10-1/2"

Step 15



House Unit 2



Measures 10-1/2" square



HOUSE UNIT 3

Subunit 1

- 16. Half-Square Triangle: Repeat Step 12 using (1) B and (1) M 6" squares. Square to 5-1/2".
- 17. Corner Triangle: Draw a diagonal line on the wrong side of (1) B 3" square. Place square, RST, matching the corner of M side of the same HST unit. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal B corner triangle to complete Subunit 1, measuring 5-1/2" square. Make (2).




Make (4)





Draw diagonal line on wrong side of print square.



Sew on drawn line and trim 1/4" away from sewn line.



Open and press to reveal **B** corner triangle. Make (2)

Subunit 2

- Half-Square Triangle: Repeat Step 12 using (1) B and (1) M 3-1/2" squares. HST units measure 3" square. Make (4).
- Arrange and sew together (2) 3" HST units and (2) M 3" squares, as shown below, to make Subunit 2, measuring 5-1/2" square. Make (2).
- 20. Arrange and sew together Subunits 1 and 2 to complete House Unit 3. Square to 10-1/2".




Make (4)





Measures 5-1/2" square.





HOUSE UNIT 4

21. Corner Triangle: Draw a diagonal line on the wrong side of (1) E 1-1/2" square. Place square, RST, at a corner of (1) I 3" square. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal **E** corner triangle. Make (4).



Draw diagonal line on wrong side of print square.



Sew on drawn line and trim 1/4" away from sewn line.



Open and press to reveal **E** corner triangle. Make (4)

22. Repeat Step 21 to make a total of Corner Triangle units for the following fabric combinations:







Make (4) of B/I


Make (2) of I/E

Make (2) of I/B




23. Arrange and sew together Corner Triangle units and 3" B and E squares, as shown, to make (4) pieced rows.

24. Sew rows together to complete House Unit 4. Measures 10-1/2" square.



Step 24





HOUSE UNIT 5

Heart Block Center

- 25. Top Corner Triangles: Draw a diagonal line on the wrong side of (1) M 1-1/2" square. Place square, RST, at a corner of (1) B 2-1/2" x 4-1/2" rectangle. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal **M** corner triangle. Repeat with another **M** square at the opposite corner, along the same short side of the same **B** rectangle. Make (2).
- 26. Bottom Corner Triangle: Similar to Step 25, draw a diagonal line on the wrong side of (1) M 2-1/2" square. Place marked M square, RST, at the bottom left corner of one of the previously sewn units. Repeat, using the other sewn unit, placing (1) M square at the bottom right corner to create a mirror-imaged unit. Sew both units together to complete (1) Heart Block Center, measuring 4-1/2" square, raw edge to raw edge.

Step 25




on wrong side of









print square.


Sew on drawn line Open and press to and trim 1/4" away reveal **M** corner triangle. **M** square. Make (2). from sewn line.

Repeat with another

Heart Block Center Measures 4-1/2" square

Framing Heart Block Center

- 27. Sew (2) M 1-1/2" x 4-1/2" rectangles to the left and right sides of Heart Block Center, followed by (2) M $1-1/2'' \times 6-1/2''$ rectangles to the top and bottom of block center.
- 28. Sew (2) B1-1/2" x 6-1/2" rectangles to the left and right sides of block center, followed by (2) B 1-1/2" x 8-1/2" rectangles to the top and bottom of block center.
- 29. Sew (2) F 1-1/2" x 8-1/2" rectangles to the left and right sides of block center, followed by (2) F 1-1/2" x 10-1/2" rectangles to the top and bottom of block center as shown below to complete House Unit 5.







House Unit 6

Block Quadrant

- **30.** Sew together along the long side (1) **E** 2" x 5-1/2" rectangle and (1) **B** 1-1/2" x 5-1/2" rectangle.
- 31. Corner Triangle: Repeat Step 21 using (1) C 3" square and the sewn E/B unit. Place marked C square at the top right corner, noting orientation.
- **32.** Add (1) **C** 3" x 5-1/2" rectangle to the left of previously sewn unit to make (1) **Block Quadrant**. Make (4).
- **33.** Noting rotation of patches, sew **Quadrants** together to complete **House Unit 6**, measuring 10-1/2" square.





House Unit 7

34. HST Units: Repeat Step 12 using (1) E and M 3" square. HST units measure 2-1/2" square. Make (4) of E/M and (8) of B/M units.










- 35. Pieced Rows [NOTE ROTATION OF UNITS]
 - Rows 1, 5: (2) E/M HSTs, (2) B/M HSTs, and (1) M 2-1/2" square.
 - Rows 2, 4: (2) B/M HSTs, (2) M 2-1/2" squares, and (1) F 2-1/2" square.
 - **Row 3:** (2) **M** 2-1/2" squares and (1) **F** 2-1/2" x 6-1/2" rectangle.

Sew together pieced rows to complete House Unit 7, measuring 10-1/2" square.



10-1/2" Square

House Unit 8

- 36. Flying Geese Unit: Repeat Step 6 using
 (2) C 2-1/2" squares and (1) B 2-1/2" x 4-1/2" rectangle. Make (4) of B/C and (1) of C/E units.
- 37. Pieced Rows Sew the following rows:
 - **Row 1:** (1) **B/C** unit and (1) **C** 2-1/2" x 6-1/2" rectangle.
 - **Row 2:** (1) **B/C** unit, (1) **C** 2-1/2" square and (1) **C** 2-1/2" x 4-1/2" rectangle.
 - **Row 3:** (1) **B/C** unit, (1) **C** 2-1/2" square and (1) **C** 2-1/2" x 4-1/2" rectangle.
 - **Row 4:** (1) **B/C** unit and (1) **C** 2-1/2" x 6-1/2" rectangle.
 - **Row 5:** (1) **C/E** unit and (2) **C** 2-1/2" x 3-1/2" rectangles.

Sew rows together as shown to complete House Unit 8, measuring 10-1/2" square.





Make (4)

Make (1)











House Unit 9

- 38. HST Units: Repeat Step 12 using (1) E and (1) K 3" square. measuring 2-1/2" square. Make (4) of E/I and (8) F/I HSTs, will use only (3) and (7) respectively.
- **39.** Sew the following rows:

Row 1: (2) E/I units and (2) F/I units.

Row 2: (1) E/I unit, (2) F/I units and (1) I 2-7/8" HST.


Row 3: (2) F/I units and (1) I 2-7/8" HST.

- Row 4: (1) F/I unit and (1) I 2-7/8" HST.
- 40. Sew the row units together, and add (1) E 6-7/8" HST, followed by (1) I 2-1/2" x 8-1/2" rectangle to the right of previously sewn unit.


E

41. Sew together (1) **E** and (1) I 2-7/8" HSTs, followed by (1) I 2-1/2" x 8-1/2" rectangle to the left of sewn HST unit, and add to the bottom of unit made in Step 40, as shown below, to complete House Unit 9, measuring 10-1/2" square.




















COMPLETING HOUSE BLOCKS


42. Sew (2) H 1-1/2" x 10-1/2" rectangles to the left and right sides of a House Unit.

43. Refer to Quilt Diagram on Page 16 to match roof unit fabric and sew to the top of appropriate House Unit. Followed by (1) K 2-1/2" x 12-1/2" rectangle to the bottom of house unit to complete (1) House Block, measuring 12-1/2" x 16-1/2" raw edge to raw edge. Make (9) House Blocks.




CORNERSTONES


44. Sew (2) 1-1/2" x WOF L strips to the opposite long sides of (1) 1-1/2" x WOF H strip. Make (2) strip sets. Subcut strip set at 1-1/2" intervals to make (32) L-H-L units.



45. Sew (2) 1-1/2" x WOF **H** strips to the opposite long sides of (1) 1-1/2" x WOF **L** strip. Subcut strip set at 1-1/2" intervals to make (16) **H-L-H** units.



46. Sew together (2) **L-H-L** units and (1) **H-L-H** unit to make (1) cornerstone, measuring 3-1/2" square raw edge to raw edge. Make a total of (16) cornerstones.





VERTICAL SASHING

BLOCKS


SASHING BLOCKS

47. Sew (2) 1-1/2" x WOF H strips to the opposite long sides of (1) 1-1/2" x WOF L strip. Repeat for a total of (10) strip sets. Cut strip sets at 16-1/2" intervals to yield a total of (12) Vertical Sashing Blocks, and then 12-1/2" intervals to yield a total of (12) Horizontal Sashing Blocks.

HORIZONTAL SASHING BLOCKS	

QUILT CENTER ASSEMBLY

48. Pieced Rows. Arrange and sew together (3) **House Blocks** and (4) **Vertical Sashing Blocks** to make a pieced row.





49. Pieced Sashing Rows. Sew together (4) **Cornerstones** and (3) **Horizontal Sashing Blocks** to make (1) **Pieced Sashing Row**. Make a total of (4) Pieced Sashing Rows.



50. Sew together **Pieced Rows** and **Pieced Sashing Rows** as shown in Quilt Diagram on **Page 16** to complete the Quilt Center.

QUILT TOP ASSEMBLY

- Use Quilt Diagram on Page 16 as reference.
- 51. Inner Border 1: Sew (1) H 2" x 60-1/2" strip to each side of Quilt Center, followed by (1) H 2" x 51-1/2" strip to the top and bottom of Quilt Center.
- 52. Inner Border 2: Sew (1) E 1-1/2" x 63-1/2" strip to each side of Quilt Center, followed by (1) E 1-1/2" x 53-1/2" strip to the top and bottom of Quilt Center.
- **53.** Outer Border: Sew (1) A 4" x 65-1/2" strip to each side of Quilt Center, followed by (1) A 4" x 60-1/2" strip to the top and bottom of Quilt Center to complete Quilt Top.



FINISHING: Layer quilt top, batting and backing together to form quilt sandwich. Baste and quilt as desired. Bind using **L** 2-1/4" strips.