11.01.17 windhamfabrics.com

## Legends

Designed by Wendy Sheppard Featuring Treasure Hunt by Marcia Derse SIZE: 54" x 63"



FREE PROJECT

THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.





Designer's Note: This quilt is made of churn dash blocks finishing at 27", 18", 9", 6" and 4 1/2". In addition, there will be "special" units to be made in order to achieve the overlapping effect. For ease of accounting for blocks, the quilt top is constructed in sections.

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS				
A		43185-1	3/8	For Section A / 18" block: (1) 3 1/2" x WOF. Subcut (4) 3 1/2" x 6 1/2" rectangles. (1) 7" x WOF. Subcut (2) 7" x 7" and (1) 6 1/2" x 6 1/2" squares.				
В		43190-19	3/8	For Section A and Section B / Overlapping Units and 9" block: (1) 7" x WOF. Subcut (1) 6 7/8" x 6 7/8", (6) 3 1/2" x 3 1/2" and (2) 3 7/8" x 3 7/8" squares. Subcut 3 7/8" squares diagonally once to yield (4) half-square triangles, will only use (3). (1) 4" x WOF. Subcut (2) 4" x 4" and (1) 3 1/2" x 3 1/2" square; and (4) 2" x 3 1/2" rectangles.				
С		43184P-X	1	For Section A and Section B / Overlapping Unit and 27" blocks:  (1) 10" x WOF. Subcut (4) 10" x 10" squares.  (2) 5" x WOF. Subcut (8) 5" x 9 1/2" rectangles.  (1) 9 7/8" x WOF. Subcut (1) 9 7/8" x 9 7/8" square. Cut square diagonally once to yield 2 half-square-triangles, will use only 1.				
D		43186-6	3/8	For Section A 18" and 9" blocks: (1) 7" x WOF. Subcut (2) 7" x 7" and (2) 4" x 4" squares, and (4) 3 1/2" x 6 1/2" rectangles. (1) 2" x WOF. Subcut (2) 2" x 3 1/2" rectangles.				
E		43187-7	3/8	For Section A 18" and overlapping units: (1) 7" x WOF. Subcut (2) 7" x 7" and (9) 3 1/2" x 3 1/2" squares; and (2) 3 1/2" x 6 1/2" rectangles.				
F		43187-8	3/8	For Section A 18" block & 4 ½" Block: (1) 7" x WOF. Subcut (2) 7" x 7", (1) 6 7/8" x 6 7/8" and (6) 3 1/2" x 3 1/2" squares; and (1) 3 1/2" x 6 1/2" rectangle. (1) 2 1/2" x WOF. Subcut (2) 2 1/2" x 2 1/2", (1) 2" squares and (4) 1 1/4" x 2" rectangles. For Section B 6" block: (1) 3 1/2" x WOF. Subcut (4) 1 ½" x 2 ½" rectangles and (2) 3" x 3" squares.				




G		43187-9	5/8	For Section A 27" and 6" and 4 ½" blocks: (1) 10" x WOF. Subcut (2) x 10" x 10" squares and (4) 5" x 9 1/2" rectangles. (1) 3 1/2" x WOF. Subcut (1) 3 1/2" x 6 1/2", (1) 1 1/2" x 9 1/2", (1) 2 1/2" x 9 1/2" rectangles; and (2) 3" x 3" squares. (1) 2 ½" x WOF. Subcut (3) 2 ½" x 2 ½" squares, (4) 1 ½" x 2 ½" rectangles, (4) 1 ¼" x 2" rectangles For Section B 9" block: (1) 4" x WOF. Subcut (2) 4" x 4" squares, (4) 2" x 3 1/2" rectangles and (1) 3 ½" square.				
н	******** ********* *****************	43188-11	1/8	For Section A 9" block: (1) 4" x WOF. Subcut (2) 4" x 4" squares and (4) 2" x 3 1/2" rectangles.				
1		43188-12	3/8	For Section B 18" overlapping units: (1) 7" x WOF. Subcut (2) 7" x 7", (4) 3 1/2" x 3 1/2" and (1) 3 7/8" x 3 7/8" squares; and (1) 3 1/2" x 6 1/2" rectangle. Subcut 3 7/8" square diagonally once to yield 2 half-square-triangles.				
J		43189-13	3/4	For Section A overlapping unit and 9" block: (1) 7" x WOF. Subcut (1) 6 7/8" x 6 7/8", (4) 3 1/2" x 3 1/2" and (2) 4" x 4" blocks; and (4) 2" x 3 1/2" rectangles. For Section A 4 1/2" blocks: (1) 2 1/2" x WOF. Subcut (8) 2 1/2" x 2 1/2" and (3) 2" squares. (1) 1 1/4" x WOF. Subcut (16) 1 1/4" x 2" rectangles. For Section B 9" blocks: (1) 3 1/2" x WOF. Subcut (16) 2" x 3 1/2" rectangles. (1) 4" x WOF. Subcut (8) 4" x 4" and (2) 3 1/2" squares.				



K	43189-14	7/8	For Section A 9" block: (1) 4" x WOF. Subcut (2) 4" x 4" and (1) 3 1/2" squares; and (4) 2" x 3 1/2" rectangles. For Section A 6" and 4 1/2" blocks: (1) 3" x WOF. Subcut (2) 3" x 3" and (3) 2 1/2" x 2 1/2" squares; and (4) 1 1/2" x 2 1/2" and (4) 1 1/4" x 2" rectangles. For Section B 27" block and overlapping unit: (1) 10" x WOF. Subcut (2) 10" squares and (4) 5" x 9 1/2" rectangles. (1) 3 7/8" x WOF. Subcut (1) 3 7/8" x 3 7/8" and (1) 3 1/2" x 3 1/2" squares. Subcut 3 7/8" square to yield 2 half-square-triangles. (1) 3 1/2" x WOF. Subcut (1) 3 1/2" x 6 1/2" and (4) 1 1/2" x 2 1/2" rectangles; and (2) 3" x 3" and (1) 2 1/2" squares. (1) 2 1/2" x WOF. Subcut (1) 1 1/2" x 9 1/2" and (1) 2 1/2" x 9 1/2" rectangles.
L	43189-15	1/8	For Section A 4 1/2" block: (1) 2 1/2" x WOF. Subcut (2) 2 1/2" x 2 1/2" squares and (4) 1 1/4" x 2" rectangles.
М	43190-16	1	For Section B 18" block: (1) 7" x WOF. Subcut (2) 7" squares and (4) 3 1/2" x 6 1/2" rectangles For Section B 6" block: (1) 3" x WOF. Subcut (2) 3" squares and (4) 1 1/2" x 2 1/2" rectangles. (7) 2 1/4" x WOF strips for binding
N	43190-18	1/8	For Section B 9" blocks: (1) 4" x WOF. Subcut (4) 4" x 4" squares and (8) 2" x 3 1/2" rectangles.
0	43191-20	3/8	For Section B 18" block: (1) 7" x WOF. Subcut (2) 7" x 7" squares and (4) 3 1/2" x 6 1/2" rectangles. For Section B 6" block: (1) 3" x WOF. Subcut (2) 3" x 3" and (1) 2 1/2" x 2 1/2" squares; and (4) 1 1/2" x 2 1/2" rectangles.
Р	43192-26	3/8	For Section B 18" block and overlapping unit: (1) 7" x WOF. Subcut (2) 7" x 7" squares and (2) 3 1/2" x 6 1/2" rectangles. (1) 3 1/2" x WOF. Subcut (9) 3 1/2" x 3 1/2" square.
	Backing	4	
			60 x 69" piece of batting









#### **Constructing Section A**

- 1. Subsection 1
- a. Referring to churn dash block construction chart on page 15, make the following blocks.
- (1) 18" block (Fabrics **D/A**)



Square to 18 1/2"

and (1) 9" block (Fabrics **D/K**)



Square to 9 1/2"

b. Overlapping unit.

Sew together (1) **J** 6 7/8" half-square-triangle and (1) **B** 6 7/8" half-square-triangle to make a HST unit.



Sew together (1) 3 1/2 x 3 1/2"  $\bf J$  square and (1) 3 1/2" x 3 1/2"  $\bf B$  square to make a column unit, and add to the right of HST unit.




Sew (2) 3 1/2"  $\times$  3 1/2"  $\times$  3 squares to the opposite sides of (1) 3 1/2"  $\times$  3 1/2"  $\times$  8 square to make a row unit, and add to the bottom of the HST unit to complete overlapping unit.



Square to 9 1/2"



c. Sew 9" block and overlapping unit into a column, and add to the right of the 18" block.



Square to 18 1/2" x 27 1/2"

- 2. Subsection 2.
- a. Referring to churn dash block construction chart, make the following blocks.
- 9" block (**H/J**)



Square to 9 1/2"

4 1/2" blocks (K/J, L/J, G/J, J/F). Sew (2) blocks into row units, as shown.



Square each block to 5"

Sew the rows to the top and bottom of the 9" block.



b. Draw a diagonal line on the wrong side of (1) 7" x 7"  $\mathbf{E}$  square. Place square, right sides together, on (1) 7" x 7"  $\mathbf{F}$  square. Sew 1/4" away from drawn line, on right and left sides of drawn line. Cut along drawn line. Open and press to yield 2 HST units. Align 45 degrees of quilting ruler to the diagonal seam of HST units and trim to measure 6 1/2" x 6 1/2" raw edge to raw edge.





Repeat to make a total of 4, will use only 3.

Sew (1) 3 1/2" **E** square and (1) 3 1/2" **F** square to make a column and add to the right of (1) HST unit, as shown.




Make a mirror-imaged unit.



Sew units to the opposite sides of a rail unit, made by sewing (2) 3 1/2" x 6 1/2" **E** rectangles to the opposite long sides of (1) 3 1/2" x 6 1/2" **F** rectangle.



Add to the right sides of sewn unit made in step a.



c. Sew (2) **B** 3 7/8" x 3 7/8" half-square-triangles to the left and bottom of (1) 3 1/2" x 3 1/2" **E** square, and add (1) **F** 6 7/8" x 6 7/8" half-square-triangle to make a square unit, as shown.



Square to 6 1/2"

Sew (1) 3 1/2" x 3 1/2" **E** and (1) 3 1/2" x 3 1/2" **F** square into a column and add to the previously sewn unit.





Sew (2) 3 1/2" x 3 1/2" **E** and (1) 3 1/2" x 3 1/2" **F** squares into a row, and add to the previously sewn unit.



Square to 9 1/2"

d. Sew (1) 3 1/2" x 3 1/2" **E** and (1) 3 1/2" x 3 1/2" **F** square into a column and add to the left of a E/F HST unit.




Sew (2) 3 1/2" x 3 1/2" **E** and (1) 3 1/2" x 3 1/2" **F** squares into a row, and add to the top.



Square to 9 1/2"

e. Sew units made in steps c and d into a column, and add to the right of the unit made in step b to complete Subsection 2.



Square to 18 1/2" x 27 1/2"


- 3. Subsection 3.
- a. Referring to churn dash block construction chart, make the following block.
- 6" block (**K/G**)



Square to 6 1/2"

Sew (1) 3 1/2" x 6 1/2"  $\bf G$  rectangle to the right of the block, followed by (1) 2 1/2" x 9 1/2"  $\bf G$  rectangle on the top, and (1) 1 1/2" x 9 1/2"  $\bf G$  rectangle on the bottom to complete block center. Make 1 ( $\bf C/\bf G$ ) block. Square to 27 1/2".





4. Sew Subsections into a column to complete Section A.

#### **Constructing Section B**

- 1. Subsection 1.
- a. Referring to churn dash block construction chart, make the following blocks.
- 9" blocks (**N/J, J/G**)



Square to 9 1/2"

b. Draw a diagonal line on the wrong side of (1) 7"  $\times$  7" I square. Place square, right sides together, on (1) 7" **P** square. Sew 1/4" away from drawn line, on right and left sides of drawn line. Cut along drawn line. Open and press to yield 2 HST units. Align 45 degrees of quilting ruler to the diagonal seam of HST units and trim to measure 6 1/2"  $\times$  6 1/2" raw edge to raw edge.

XX

Repeat to make a total of 4, will use only 3.




Sew together (1) 3 1/2" I square and (1) 3 1/2" P square to make a row unit, and add to the bottom of (1) HST unit.



Make a mirror-imaged unit.



Sew the two units to the opposite of a rail unit, made by sewing (2) 3  $1/2" \times 6 1/2"$  **P** rectangles to the opposite long sides of (1) 3  $1/2" \times 6 1/2"$  **I** rectangle.



c. Sew (2) I 3 7/8" x 3 7/8" half-square-triangles to the left and bottom of (1) 3 1/2" x 3 1/2"  $\bf P$  square, and add (1)  $\bf B$  6 7/8" x 6 7/8" half-square-triangle to make a square unit, as shown.



Sew (1) 3 1/2" x 3 1/2" **P** and (1) 3 1/2" x 3 1/2" **B** square into a column and add to the previously sewn unit.



Sew (2) 3 1/2" x 3 1/2" **P** and (1) 3 1/2" x 3 1/2" **B** squares into a row, and add to the previously sewn unit.



d. Sew (1) 3 1/2" x 3 1/2" I and (1) 3 1/2" x 3 1/2" P square into a column and add to the left of a I/P HST unit.






Sew (2) 3 1/2" x 3 1/2" **P** and (1) 3 1/2" x 3 1/2" **I** squares into a row, and add to the top.




e. Sew together units made in steps c and d into a row, and add to the bottom of unit made in

step b.



Square to 18 1/2"

Sew together churn dash blocks from step a into a column and add to the right to complete Subsection 1.



Square to 18 1/2" x 27 1/2"

- 2. Subsection 2.
- a. Referring to churn dash block construction chart, make the following block.
- 6" block (**F/K**)



Square to 6 1/2"

Sew (1) 3  $1/2" \times 6 1/2"$  **K** rectangle to the left of block, followed by (1) 2  $1/2" \times 9 1/2"$  **K** rectangle to the top and (1) 1  $1/2" \times 9 1/2"$  **K** rectangle to the bottom of the block to complete block center.



b. Sew together to make:

row 1: (1) 3 1/2" **K** square, (1) 3 1/2" **B** square, and (1) 3 7/8" x 3 7/8" **K** half-square-triangle.

row 2: (1) 3 1/2" **B** square, and (1) 3 7/8" x 3 7/8" **B** half-square-triangle.


row 3: (1) 3 7/8" K half-square-triangle

Sew the rows together, and add (1) 9 7/8" x 9 7/8" C half-square-triangle to make a square unit.



Square to 9 1/2"

c. Referring to churn dash block construction chart, make the following block, noting the unit made in step b is used in place of a regular HST unit.



Square to 27 1/2"

- 3. Subsection 3.
- a. Referring to churn dash block construction chart, make the following blocks:
- 6" block (**M/O**)



Square to 6 1/2"

9" blocks (J/B, N/J)





Square both to 9 1/2"



18" block (**M/O**)



Square to 18 1/2"

b. Sew 9" blocks into a column and add to the left of 18" block to complete Subsection 3.




Square to 18 1/2" x 27 1/2"

4. Sew all Subsections together to complete Section B.



#### **Quilt Top Assembly**

1. Sew together Sections A and B to complete quilt top.



#### **Quilting Instructions:**

With the backing fabric laying taut, place batting and then quilt top to form quilt sandwich. Baste sandwich. Quilt as desired. Bind to finish quilt.



	27"	18"	9"	6"	4 1/2"
Draw a diagonal line on the wrong side of (1) A square. Place square, right sides together, on (1) B square. Sew 1/4" away from drawn line on right and left sides of drawn line. Cut along drawn line. Open and press to yield 2 HST units.  Make a total of 4 HST units.	(1) A 10" and (1) B 10" square. Align 45 degree line on quilting ruler against diagonal seam of HST units, trim units to measure 9 1/2" x 9 1/2" raw edge to raw edge.	diagonal seam of HST units,	(1) A 4" and (1) B 4" square. Align 45 degree line on quilting ruler against diagonal seam of HST units, trim units to measure 3 1/2" x 3 1/2" raw edge to raw edge.	(1) A 3" and (1) B 3" square. Align 45 degree line on quilting ruler against diagonal seam of HST units, trim units to measure 2 1/2" x 2 1/2" raw edge to raw edge.	(1) A 2 1/2" and (1) B 2 1/2" square. Align 45 degree line on quilting ruler against diagonal seam of HST units, trim units to measure 2" x 2" raw edge to raw edge.
Rail Units  Sew (1) A rectangle and (1) B rectangle to make 1 rail unit. Make a total of 4.	(1) <b>A</b> 5" x 9 1/2" rectangle and (1) <b>B</b> 5" x 9 1/2" rectangle.	(1) A 3 1/2" x 6 1/2" rectangle and (1) B 3 1/2" x 6 1/2" rectangle.	(1) A 2" x 3 1/2" rectangle and (1) B 2" x 3 1/2" rectangle.	(1) A 1 1/2" x 2 1/2" rectangle and (1) B 1 1/2" x 2 1/2" rectangle.	(1) A 1 1/4" x 2" rectangle and (1) B 1 1/4" x 2" rectangle.
Block Center	9 1/2" x 9 1/2" square or block (raw edge to raw edge)	6 1/2" x 6 1/2" square or block (raw edge to raw edge)	3 1/2" x 3 1/2" square (raw edge to raw edge)	2 1/2" x 2 1/2" square (raw edge to raw edge)	2" x 2" square (raw edge to raw edge)

Sew (2) rail units to the opposite sides of center square to make a row.

Sew (2) HST units to the opposite sides of (1) rail unit to make a row. Repeat to make (2) rows.

Sew rows together to complete 1 block.

