

Meow Mix

designed by Wendy Sheppard
featuring Cat Happy by Whistler Studios

SIZE: 67" x 78"

FREE
PROJECT





THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.



Meow Mix

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
A		31835S White	2-3/4	<p>(7) 1-1/2" x WOF strips; subcut (1) of the strips in half widthwise to make (2) shorter strips.</p> <p>(13) 1-1/2" x WOF strips; subcut (49) 1-1/2" x 10-1/2" rectangles.</p> <p>(6) 5-1/2" x WOF strips; subcut (75) 5-1/2" x 3" rectangles.</p> <p>(5) 1-3/4" x WOF strips.</p> <p>(2) 3-1/2" x WOF strips; subcut (15) 3-1/2" squares. Cut once diagonally from corner to corner to create (30) HST.</p> <p>(2) 2-1/4" x WOF strips; subcut (30) 2-1/4" squares.</p> <p>(1) 2-1/2" x WOF strip; subcut (15) 2-1/2" squares. Cut once diagonally from corner to corner to create (30) HST.</p>
B		37098-66 Palette Pink	1-1/4	<p>(7) 2-1/2" x WOF strips; subcut (1) of the strips in half widthwise to make (2) shorter strips.</p> <p>(2) 3" x WOF strips; subcut (15) 3" squares.</p> <p>(5) 1-3/4" x WOF strips.</p> <p>(3) 1-3/4" x WOF strips; subcut (60) 1-3/4" squares.</p> <p>(1) 4" x WOF strip; subcut (15) 4" x 2-1/4" rectangles.</p>
C		51121-1 White	1/2	<p>(1) 3" x WOF strip; subcut (3) 3" x 10-1/2" rectangles.</p> <p>(1) 3-1/2" x WOF strip; subcut (3) 3-1/2" squares. Cut once diagonally from corner to corner to create (6) HST. Trim the rest of the strip to 2-1/2" and subcut (3) 2-1/2" squares. Cut each square diagonally from corner to corner to create another (6) HST.</p> <p>(1) 3-3/4" x WOF strip; subcut (6) 3-3/4" x 2-1/4" rectangles.</p> <p>(1) 2-1/4" x WOF strip; subcut (3) 2-1/4" x 10-1/2" rectangles.</p> <p>(1) 2" x WOF strip; subcut (3) 2" x 7-1/2" rectangles.</p>

HST = Half Square Triangle

PROJECT DISCLAIMER: Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however, no warranty can be given nor results guaranteed. Therefore, we assume no responsibility nor damages that may occur when referring to this pattern. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. We suggest you check windhamfabrics.com for pattern updates and to test the pattern prior to making the project. Test templates first, before cutting all the pieces. Free projects are not for resale.





Meow Mix

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
D		51121-2 Black	1/2	(1) 3" x WOF strip; subcut (3) 3" x 10-1/2" rectangles. (1) 3-1/2" x WOF strip; subcut (3) 3-1/2" squares. Cut once diagonally from corner to corner to create (6) HST. Trim the rest of the strip to 2-1/2" and subcut (3) 2-1/2" squares. Cut each square diagonally from corner to corner to create another (6) HST. (1) 3-3/4" x WOF strip; subcut (6) 3-3/4" x 2-1/4" rectangles. (1) 2-1/4" x WOF strip; subcut (3) 2-1/4" x 10-1/2" rectangles. (1) 2" x WOF strip; subcut (3) 2" x 7-1/2" rectangles.
E		51121-3 Grey	1	(8) 4" x WOF strips.
F		51122-3 Grey	1/2	(1) 3" x WOF strip; subcut (3) 3" x 10-1/2" rectangles. (1) 3-1/2" x WOF strip; subcut (3) 3-1/2" squares. Cut once diagonally from corner to corner to create (6) HST. Trim the rest of the strip to 2-1/2" and subcut (3) 2-1/2" squares. Cut each square diagonally from corner to corner to create (6) HST. (1) 3-3/4" x WOF strip; subcut (6) 3-3/4" x 2-1/4" rectangles. (1) 2-1/4" x WOF strip; subcut (3) 2-1/4" x 10-1/2" rectangles. (1) 2" x WOF strip; subcut (3) 2" x 7-1/2" rectangles.
G		51123-2 Black	5/8	(1) 1-1/2" x WOF strip; subcut (20) 1-1/2" squares. Binding: (8) 2-1/4" x WOF strips.

HST = Half Square Triangle



Meow Mix

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
H		51123-3 Grey	3/4	<p>(5) 1-3/4" x WOF strips; subcut (60) 1-3/4" x 3" rectangles.</p> <p>(1) 3-1/2" x WOF strip; subcut (3) 3-1/2" squares. Cut once diagonally from corner to corner to create (6) HST. Trim the rest of the strip to 2-1/2" and subcut (3) 2-1/2" squares. Cut each square diagonally from corner to corner to create (6) HST.</p> <p>(1) 3" x WOF strip; subcut (3) 3" x 10-1/2" rectangles.</p> <p>(1) 3-3/4" x WOF strip; subcut (6) 3-3/4" x 2-1/4" rectangles.</p> <p>(1) 2-1/4" x WOF strip; subcut (3) 2-1/4" x 10-1/2" rectangles.</p> <p>(1) 2" x WOF strip; subcut (3) 2" x 7-1/2" rectangles.</p>
I		51124-3 Grey	1/2	<p>(1) 3" x WOF strip; subcut (3) 3" x 10-1/2" rectangles.</p> <p>(1) 3-1/2" x WOF strip; subcut (3) 3-1/2" squares. Cut once diagonally from corner to corner to create (6) HST. Trim the rest of the strip to 2-1/2" and subcut (3) 2-1/2" squares. Cut each square diagonally from corner to corner to create (6) HST.</p> <p>(1) 3-3/4" x WOF strip; subcut (6) 3-3/4" x 2-1/4" rectangles.</p> <p>(1) 2-1/4" x WOF strip; subcut (3) 2-1/4" x 10-1/2" rectangles.</p> <p>(1) 2" x WOF strip; subcut (3) 2" x 7-1/2" rectangles.</p>
		Backing	5-1/8	Batting 75" x 86"

HST = Half Square Triangle



Meow Mix

CAT BLOCKS


- 1. Cat Ears:** Sew (1) 3-1/2" HST from **A** and **F** together. Trim the HST unit to 3" square. Make (6) 3" HST units of the following fabric combinations: **A/C • A/D • A/F • A/H • A/I**.
- 2.** Sew (2) Cat Ear HST units of the same combination to each side of (1) **A** 5-1/2" x 3" rectangle. Make (3) for each unit. This should total (15) sets of Cat Ear units.
- 3.** Sew each Cat Ear unit to the top of (1) 3" x 10-1/2" rectangle of the same fabric. Repeat (3) times for all (5) fabrics totaling (15) units.

Step 1




Make (6)
Square to 3"

Step 2



Make (3) for each fabric combination:
C • D • F • H • I

Step 3



- 4. Cat Nose:** Align (1) **A** 2-1/4" square with a drawn diagonal line along the edge of (1) **B** 4" x 2-1/4" rectangle. Sew along the drawn line and trim the excess fabric to 1/4" (dotted line). Press seams outward. Repeat the same process on the other side of the **B** rectangle. Repeat to create (15) Cat Nose (*flying geese*) units.


- 5.** Sew (2) **F** 3-3/4" x 2-1/4" rectangles onto each side of a Cat Nose unit. Press seams toward **F**. Repeat to create (3) units for all (5) fabrics totaling (15) units.

Step 4



Make (15)

Step 5



Make (3) for each fabric combination:
C • D • F • H • I

- 6.** Sew the Cat Nose unit made in Steps 4-5 onto the top of (1) 2-1/4" x 10-1/2" rectangle of the same fabric. Repeat (3) times for each fabric totaling (15) units.






Meow Mix

7. Sew (1) 2-1/2" HST from **A** and **F** together. Trim the HST unit to 2" and press seams toward **F**. Make (6) 2" HST units of the following fabric combinations: **A/C** • **A/D** • **A/F** • **A/H** • **A/I**.
8. Sew (2) HST units of the same fabric to each side of (1) 2" x 7-1/2" rectangle of the corresponding fabric. Press seams toward the 2" x 7-1/2" rectangle. Repeat (3) times for each fabric totaling (15) units.
9. Sew together each **Cat Block** according to the diagrams provided. There are (5) variations of **Block A** that include Fabrics **C**, **D**, **F**, **H** and **I**. There should be a total of (15) **Cat Blocks**. Trim to measure 10-1/2" unfinished.

Step 7




Make (6)
Square to 2"

Step 8




Make (3) for each fabric combination:
C • D • F • H • I


Step 9



Fabric F




Fabric C




Fabric D

Trim to 10-1/2" unfinished.
Make (3) for each fabric.
(15) in total.



Fabric H



Fabric I




Meow Mix


SQUARE BLOCKS

10. Create strip sets by sewing (1) **A** and **B** 1-3/4" x WOF strip together widthwise. Press seams toward **B**. Make (5) strip sets. Then subcut (120) 1-3/4" units from the strip sets.
11. Create 4-Patch Units by sewing together (2) 1-3/4" units from **Step 10** in alternating fabrics, as shown below. Repeat to create (60) 4-Patch Units.

Step 10




Step 11




12. Sew (2) **B** 1-3/4" squares onto each side of (1) **H** 1-3/4" x 3" rectangle. Press seams toward **B**. Make (30) units.
13. Sew (2) **H** 1-3/4" x 3" rectangles onto each side of (1) **B** 3" square. Press seams toward **B**. Make (15) units.
14. Sew together the units made in **Steps 12-13** to create the center of the **Square Block** as shown.


Step 12



Step 14



Step 13







Meow Mix

15. Sew (2) **A** 5-1/2" x 3" rectangles onto each side of the **Square Block** center. Press seams toward **A**.
16. Sew (2) **4-Patch Units** created in **Step 3** onto each side of (1) **A** 5-1/2" x 3" rectangle. Press seams toward **A**. Make (30) units.
17. Complete **Square Block** by sewing all units made in **Steps 15-16** together as shown. Square to 10-1/2" unfinished. Make (15) blocks.


Step 15



Step 16



Step 17



BORDER ASSEMBLY

18. **Border 1 (Sides):** Sew (2) **A** 1-1/2" x WOF strips together using a diagonal seam to create (1) long strip. Repeat. Trim strips to 1-1/2" x 65-1/2".
19. **Border 1 (Top/Bottom):** Sew (1) **A** 1-1/2" x WOF to (1) shorter **A** strip using a diagonal seam. Repeat. Trim these strips to 1-1/2" x 56-1/2".
20. **Border 2 (Sides):** Sewing (2) **B** 2-1/2" x WOF strips together using a diagonal seam to create (1) long strip. Repeat. Trim strips to 2-1/2" x 67-1/2".
21. **Border 2 (Top/Bottom):** Sew (1) **B** 2-1/2" x WOF to (1) shorter **B** strip using a diagonal seam. Repeat. Trim these strips to 2-1/2" x 60-1/2".
22. **Border 3:** Sew (2) **E** 4" x WOF strips together using a diagonal seam to create (1) long strip. Repeat three times. Trim (2) strips to 4" x 71-1/2" for the side borders; trim the other (2) strips to 4" x 67-1/2" for the top/bottom borders.




Meow Mix

QUILT ASSEMBLY


22. Horizontal Sashing Rows: Sew (4) **G** 1-1/2" squares and (5) **A** 1-1/2" x 10-1/2" rectangles together in a row. *Begin and End* each row with (1) **A** sashing strip. Press seams toward **A**. Repeat to create (5) horizontal sashing rows.



23. Sew the quilt top together in horizontal rows first, placing (1) **A 1-1/2" x 10-1/2" sashing strip between each block. Press seams toward the sashing. See diagram for block placement.**



24. Sew the horizontal rows together, placing a Horizontal Sashing Row between each block row as shown in the diagram.





Meow Mix

25. Attach Borders 1-3 as shown in the diagram. For each border, sew the side borders onto the quilt top first followed by the top/bottom borders.



FINISHING: Layer quilt top, batting and backing together to form quilt sandwich. Baste and quilt as desired. Bind using **G** 2-1/4" strips.