

State Panel NY - Pillow & Tote

designed by Heidi Pridemore of The Whimsical Workshop
featuring the State Panels fabric collection by Sara Franklin

PILLOW SIZE: 18" x 18", TOTE SIZE: 14" x 14"

FREE
PROJECT








THIS IS A DIGITAL REPRESENTATION OF THE PROJECTS, FABRIC MAY VARY.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.



State Panel NY - Pillow & Tote

New York Pillow


KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
A		51139-X multi	1 panel	<ul style="list-style-type: none">• Fussy cut (1) 11-1/4" x 11-1/4" panel. <i>Note: One state panel is enough fabric to make (1) Pillow and (1) Tote per the following instructions.</i>
B		37098-16 cherry	1/8	<ul style="list-style-type: none">• (1) 1-1/2" x Width of Fabric (WOF) strip. Sub-cut the strip into (2) 1-1/2" x 11-1/4" strips.• (1) 1-1/2" x WOF strip. Sub-cut the strip into (2) 1-1/2" x 13-1/4" strips.
C		37098-30 mediterranean	1/4	<ul style="list-style-type: none">• (1) 3-7/8" x WOF strip. Sub-cut the strip into (8) 3-7/8" squares. Cut the 3-7/8" squares across (1) diagonal to make (16) 3-7/8" triangles.
D		37098-34 spruce	1/4	<ul style="list-style-type: none">• (1) 4-1/4" x WOF strip. Sub-cut the strip into (4) 4-1/4" squares. Cut the 4-1/4" squares across both diagonals to make (16) 4-1/4" triangles.
E		37098-12 chalk	2/3	<ul style="list-style-type: none">• (1) 12-1/2" x WOF strip. Sub-cut the strip into (2) 12-1/2" x 18-1/2" strips.• (1) 4-1/4" x WOF strip. Sub-cut the strip into (4) 4-1/4" squares. Cut the 4-1/4" squares across both diagonals to make (16) 4-1/4" triangles.• (1) 3-1/2" x WOF strip. Sub-cut the strip into (4) 3-1/2" squares.




State Panel NY - Pillow & Tote

Pillow Block Assembly


1. Sew (1) **B** 1-1/2" x 11-1/4" strip to each side of the **A** 11-1/4" x 11-1/4" panel. Sew (1) **B** 1-1/2" x 13-1/4" strip to the top and to the bottom of the **A** panel to make the **Center Block** (Fig. 1). Trim the block to measure 12-1/2" square.



2. Sew (1) **C** 3-7/8" triangle, (1) **E** 4-1/4" triangle and (1) **D** 4-1/4" triangle together as shown in Figure 2 to make (1) **Unit 1** square. Trim the unit to measure 3-1/2" square. Repeat to make (8) **Unit 1** squares total.




3. Sew (1) **D** 4-1/4" triangle, (1) **E** 4-1/4" triangle and (1) **C** 3-7/8" triangle together as shown in Figure 3 to make (1) **Unit 2** square. Trim the unit to measure 3-1/2" square. Repeat to make (8) **Unit 2** squares total.




Pay attention to the orientation of the units when constructing the borders.

4. Sew (2) **Unit 1** squares and (2) **Unit 2** squares together in that order to make (1) **Side Border** (Fig. 4). Repeat to make a second **Side Border**.



5. Sew (2) **Unit 1** squares and (2) **Unit 2** squares together in that order. Sew (1) **E** 3-1/2" square to each end of the new strip to make (1) **Top Border** (Fig. 5). Repeat to make (1) **Bottom Border**.





State Panel NY - Pillow & Tote

Pillow Top Assembly

6. Sew the **Side Borders**, **Top Border** and **Bottom Border** onto the **Center Block** to make the pillow top (Fig. 6). Pay attention to the orientation of the borders.

7. Layer and quilt as desired.

8. Turn under the **E** 18-1/2" edge approximately 1/4", press and repeat to make a finished edge on one edge of the **E** 12-1/2" x 18-1/2" piece. Repeat with the second **E** 12-1/2" x 18-1/2" piece.

9. Position and pin each back envelope flap, right sides together with the pillow front, overlapping the finished edges in the middle and aligning the raw edges with the pillow front (Fig. 7). Stitch around the pillow front and back to complete the pillow.

10. Turn the pillow right side out.




Fig. 6




Fig. 7



State Panel NY - Pillow & Tote

New York Tote

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
A		51139-X multi	1 panel	<ul style="list-style-type: none"> Fussy cut (1) 11 1/4" x 11 1/4" small panel. Note: One state panel is enough fabric to make (1) Pillow and (1) Tote per the following instructions.
B		37098-12 chalk	2/3	<ul style="list-style-type: none"> (2) 14 1/2" x 14 1/2" squares. (2) 1 1/2" x 13 1/4" Width of Fabric (WOF) strips. (2) 1 1/2" x 11 1/4" WOF strips.
C		37098-30 mediterranean	3/4	<ul style="list-style-type: none"> (1) 14 1/2" x 14 1/2" square. (2) 4" x WOF strips. (2) 1 1/2" x 14 1/2" WOF strips. (2) 1 1/2" x 12 1/2" WOF strips.

Tote Assembly

11. Sew (1) **B** 1 1/2" x 11 1/4" strip to each side of (1) **A** 11 1/4" square. Sew (1) **B** 1 1/2" x 13 1/4" strip to the top and bottom of the **A** 11 1/4" square (Fig. 8). Trim the block with borders to measure 12 1/2" x 12 1/2" square to make (1) **Unit 1** square.

12. Sew (1) **C** 1 1/2" x 12 1/2" strip to each side of the **Unit 1** square. Sew (1) **C** 1 1/2" x 14 1/2" strip to the top and bottom of the **Unit 1** square to make the bag front (Fig. 9).

13. Place the bag front and (1) **C** 14 1/2" square, right sides together. Stitch down the two sides and across the bottom to make the outer bag.




Fig. 8




Fig. 9



State Panel NY - Pillow & Tote

- 14.** Place (1) **B** 14 ½" square on top of (1) **B** 14 ½" square, right sides together. Stitch down the two sides and across the bottom to make the lining, leaving a 3" opening for turning.
- 15.** Fold (1) **C** 4" x WOF strip in half lengthwise and press (Fig. 10). Open the folded fabric and fold each long edge to the creased centerline and press (Fig. 11).
- 16.** Fold the pressed fabric in half again and press to make one 1" x WOF strip (Fig. 12) Top stitch down both long sides 1/8" in from the edge (Fig. 13).

Note the strip will be ¼ of the width of strip you start with.




Fig. 10

Fig. 11

Fig. 12

Fig. 13

- 17.** Repeat Steps 15-16 to make a second strap. Trim each strap to the desired length.
- 18.** Pin (1) strap to the bag front about 3" in from each side edge of the bag front. Repeat to pin the second strap to the bag back.
- 19.** Place the outer bag, right sides together with the lining, aligning the top raw edges of the bag and lining, with straps tucked in between the layers and pin together.
- 20.** Sew the lining and bag together around the top edge.
- 21.** Turn the bag and lining right side out through the opening in the lining. Press as needed and top stitch the opening closed. Put the lining into the bag.