05.23.2023 windhamfabrics.com



# Poinsettia Delight Runner

Designed by Hilary Bobker of And It Was Sew Featuring *Holiday Greetings* by *Jean Plout* 

SIZE: 22-1/2" x 47-1/2"





THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.





**PROJECT DISCLAIMER:** Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however, no warranty can be given nor results guaranteed. Therefore, we assume no responsibility nor damages that may occur when referring to this pattern. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. We suggest you check **windhamfabrics.com** for pattern updates and to test the pattern prior to making the project. Test templates first, before cutting all the pieces. Free projects are not for resale.

WOF = WIDTH OF FABRIC

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
A		53608-5 Ruby	3/8	STAR BLOCKS: (1) 2-1/2" x WOF strip. Subcut (12) 2-1/2" squares (1) 4-1/2" x WOF strip. Subcut (12) 2-1/2" x 4-1/2" rectangles.  CORNERSTONES: (1) 1-1/2" x WOF strip. Subcut (14) 1-1/2" squares.
В		53603-1 Pine	1/2	CORNER AND SETTING TRIANGLES: (1) 12-5/8" square. Cut twice diagonally to yield 4 setting triangles. (2) 6-5/8" squares. Cut once diagonally to yield 4 corner triangles.
С		53608-2 Ivory	3/8	STAR BLOCKS: (3) 2-1/2" x WOF strips. Subcut (12) 2-1/2" x 1-1/2" rectangles and (24) 2-1/2" squares. (1) 1-1/2" x WOF strip. Subcut (12) 1-1/2" squares.
D		53606-3 Black	1/4	STAR BLOCKS: (1) 2-1/2" x WOF strip. Subcut (3) 2-1/2" squares. (1) 1-1/2" x WOF strip. Subcut (24) 1-1/2" squares.
E		FROM PALETTE 37098-56 Cloud	5/8	INNER BORDER AND SASHING:  (6) 1-1/2" x WOF strips. Subcut (2) 1-1/2" x 38" strips and  (12) 1-1/2" x 8-1/2" and (2) 1-1/2" x 13" rectangles.  (4) 2-1/4" x WOF strips for binding.
F		53604-3 Black	5/8	OUTER BORDER: (4) 4-1/2" x WOF strips. Subcut (2) 4-1/2" x 40" and (2) 4-1/2" x 23" strips.
G		BACKING	1-1/2	Batting: 31" x 56"



#### **BLOCK ASSEMBLY**

- **1. Flying Geese Unit:** Draw a diagonal line on the wrong side of (1) **D** 1-1/2" square. Place **D** square right sides together on the left side of (1) **C** 1-1/2" x 2-1/2" rectangle. Stitch on drawn line. Trim 1/4" from sewn line and press open. Repeat for right side. Make (12) **CD** flying geese units.
- 2. Similar to CD flying geese units make AC units, using A 2-1/2" x 4-1/2" rectangles and C 2-1/2" squares. Make (12) AC large flying geese units.



**3.** Sew (1) **C** 1-1/2" square to right and left side of (1) **CD** flying geese unit. Make (6) **C/CD** units. Repeat step for **AC** flying geese units, using **A** 2-1/2" squares. Make (6) **A/AC** units.





**4. Center Star:** Sew (1) **CD** flying geese unit to opposite sides of (1) **D** 2-1/2" square. Sew (1) **C/CD** units to top and bottom.



Note rotation of units.

MAKE (3)

CENTER STARS

**5. Star Block:** Sew (1) **AC** flying geese unit to opposite sides of (1) Center Star unit as shown. Sew (1) **A/AC** unit to top and bottom. Square block to 8-1/2". Add (1) **E** 1-1/2" x 8-1/2" sashing strip to each side of block.



Make (3) Star Blocks



**6. Sashing Unit:** Sew (1) **A** 1-1/2" square to both ends of (1) **E** 1-1/2" x 8-1/2" rectangle. Make (2).



**7.** Sew together (3) **A** 1-1/2" squares and (2) **E** 1-1/2" x 8-1/2" rectangles as shown. Make (2) sets.




#### **RUNNER ASSEMBLY** Runner is assembled diagonally

**8.** Arrange Star Blocks, **B** Corner and Setting Triangles and **AE** sashing strips into five diagonal rows as shown. Sew rows together.



When runner top is sewn, carefully trim excess 1/4" away shown in diagram below. The dotted line is the sewing line and the solid line is the cutting line.



Runner Top should measure about 13" x 38".

#### **RUNNER TOP**





#### **BORDER ASSEMBLY**

**9.** Sew (1)  $\bf A$  1-1/2" square to both ends of (1)  $\bf E$  1-1/2" x 13" rectangle. Make (2)  $\bf AE$  units.



**10. Inner Border:** Sew (1) **E** 1-1/2" x 38" strip to each side of runner top, followed by (1) **AE** unit to top and bottom as shown.

**11. Outer Border:** Sew (1) **F** 4-1/2"  $\times$  40" strip to each side of runner top, followed by (1) **F** 4-1/2"  $\times$  23" strip to top and bottom to complete top.



**FINISHING:** Layer quilt top, batting and backing together to form quilt sandwich. Baste and quilt as desired. Bind using **E** 2-1/4" strips.