09.13.2022 windhamfabrics.com



TEMPLATE OR PAPER PIECING
TECHNIQUE REQUIRED

FREE PROJECT

Sparrow's Point

Designed by Mary Koval & Theresa Leppert featuring the *Bedford* collection by *Mary Koval* $SIZE: 50" \times 50"$



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.





Notes: Mark and store cut pieces according to block number to ease piecing quilt together. Do not cut border strips to exact listed lengths before measuring the quilt. Bias piecing may change the measurements slightly.

WOF = WIDTH OF FABRIC

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
IXLI	TABILITY TO	3KO	10	COTTING INSTRUCTIONS
A		53143DP-1 Antique White	1 PANEL	Fussy cut (5) 12" squares.
В		53144-1 Antique White	1-1/8	Inner Border 3: (2) 1-1/2" x 35" and (2) 1-1/2" x 33" strips. Fussy cut to center flowers. Inner Border 1: (4) 1-1/2" x 12-1/2" and (2) 1-1/2" x 14-1/2" strips. Fussy cut to center flowers.
С		53147-1 Antique White	1/4	Inner Border 2: (2) 1-1/2" x 23-1/2" and (2) 1-1/2" x 21-1/2" strips.
D		53146-6 Ochre	1/3	Half-Square Triangle: (14) 2-7/8" squares. Diamond Border: (8) of Template 1.
E	*	53147-4 Navy	1/3	Half-Square Triangle: (12) 2-7/8" squares. Diamond Border: (8) of Template 1.
F		53148-9 Brown	1/3	Half-Square Triangle: (15) 2-7/8" squares. Diamond Border: (8) of Template 1.
G		53145-4 Navy	1/4	Half-Square Triangle: (13) 2-7/8"squares.
Н		53148-2 Dusty Blue	1/4	Half-Square Triangle: (4) 2-7/8" squares.
I		53148-8 Pink	1/4	Half-Square Triangle: (9) 2-7/8"squares.
J	, ,	53150-12 Grape	1/4	Half-Square Triangle: (18) 2-7/8" squares.
К	9 6 9 2 9 2 3 2 3 8 2 8 9 6 9	53150-13 Crimson	1/2	Square-in-a-Square Blocks: (4) 3-3/4" squares. Half-Square Triangles: (33) 2-7/8" squares. Diamond Border: (4) Template 1.

PROJECT DISCLAIMER: Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however, no warranty can be given nor results guaranteed. Therefore, we assume no responsibility nor damages that may occur when referring to this pattern. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. We suggest you check windhamfabrics.com for pattern updates and to test the pattern prior to making the project. Test templates first, before cutting all the pieces. Free projects are not for resale.



WOF = WIDTH OF FABRIC

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
L		53151-1 Antique White	1-2/3	Panel Frames: (10) 3/4" x 12-1/2" and (10) 3/4" x 12" strips. Half-Square Triangle: (156) 2-7/8" squares. Diamond Border (48) Template 2. (8) Template 3 and (8) Template 3 Reversed. Square-in-a-Square Blocks: (16) 2-1/8" squares.
М		37098-94 Iris BINDING INCLUDED	5/8	Outer Border 4: (6) 1-1/2" x WOF strips. Piece strips and subcut 2) 1-1/2" x 50" and (2) 1-1/2" x 48" strips strips. Binding: (7) 2-1/2" x WOF strips.
		Backing	4	58" x 58" piece of batting.

Additional Materials: Template plastic or poster board for templates.

PANELS

- 1. Sew (2) L 3/4" x 12" strips on opposite sides of (1) A 12" square. Sew (2) L 3/4" x 12-1/2" strips to the top and bottom. The block measures 12-1/2" square, including seam allowances. Repeat for the remaining (4) panel squares.
- 2. Choose an **A** panel for the center block. Sew (2) **B** 1-1/2" x 12-1/2" strips to opposite sides of the center block. Sew (2) **B** 1-1/2" x 14-1/2" strips to the top and bottom.



Step 2

B

Center Block



SQUARE-IN-A-SQUARE BLOCKS

3. Corner Triangles: Draw a diagonal line on the wrong side of (4) L 2-1/8" squares. Place square, right sides together, at a corner of (1) K 3-3/4" square. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal L corner triangle. Repeat with (3) additional L squares for the remaining corners of the same K square to complete (1) Square-in-a-Square block. Make (4).



Draw diagonal line on wrong side of **L** square.



Sew on drawn line.




Trim 1/4" and open to reveal **L** corner triangle.



Repeat on remaining corners. Make (4) of L/K.

DIAMOND BORDER (TEMPLATE PIECING)

- 4. Sew (1) L Template 3 to the top, left side of (1) E Template 1, followed by (1) L Template 3 reversed to the bottom left of the same E Template 1. Finally, sew (1) L Template 2 to the bottom, right side of the same E Template 1 piece, as shown. Make (2).
- 5. Sew (1) L Template 2 to the top, left side of (1) D Template 1, followed by (1) L Template 2 to the bottom left of the same D Template 1. Make (2). Repeat to make (2) of F and (1) of K.





6. Arrange and sew the diamond units, as shown, to complete (1) diamond border. Make (4).



MAKE (4)

- 7. Sew (1) diamond border to the left and right sides of the center block.
- 8. Sew (1) Square-in-a-Square block to the ends of (1) diamond border. Make (2).
- 9. Inner Border 2: Sew (1) C 1-1/2"x 24-1/2" strips on each side of the center, starting and stopping stitching 3/4" from edges of the square. Miter the corners and trim the excess fabric from the seams. Unit should measure approximately 21-1/2" square unfinished.





10. Half-Square Triangle (HST): Draw a diagonal line on the wrong side of (1) L 2-7/8" square. Place square, right sides together, on (1) F 2-7/8" square. Sew 1/4" away from both sides of drawn line. Cut along drawn line to yield (2) HST units. Open and press. Trim to measure 2-1/2" square unfinished. Make (28).



Draw diagonal line on wrong side of L.



Place L on F, right sides together.



Sew a 1/4" from both sides of solid line. Cut along solid line.



Open and press. Yield (2) HSTs. Make (28) total. Measures 2-1/2" square unfinished.

11. Using L 2-7/8" squares, repeat Step 7 to make the following HST colorways:













Refer to guilt image for HST unit placement and rotation.

INNER PIECED TRIANGLE UNIT

- 12. Cut, corner to corner, the remaining (40) L 2-7/8" squares into half triangles.
- 13. Arrange and sew together (7) HST units and (1) L triangle, as shown, to make Row 1. Repeat to make (7) row units total, as follows:

Use (1) L triangle for each (except for Row 7):

Row 2: (6) HST units

Row 5: (3) HST units

Row 3: (5) HST units

Row 6: (2) HST units

Row 4: (4) HST units

Row 7: (1) HST unit and (1) L triangles

Step 12



Cut L squares into half triangles.





Row 7










Rows 1 and 7 are shown.





- 14. Sew together the (7) row units to complete an Inner Pieced Triangle unit. Make (4).
- 15. Sew an inner pieced triangle unit to each side of the quilt center.
- **16.** Inner Border 3: Rotate center block and sew (2) **B** 1-1/2" x 33" strips to opposite sides of quilt center. Sew (2) **B** 1-1/2" x 35" strips to the top and bottom.






OUTER PIECED TRIANGLE UNIT

Refer to quilt image for HST unit placement.

- 17. Similar to Steps 13 and 14, arrange HST units into (5) rows, and L half-triangles. Make (8) outer pieced triangle units.
- **18.** Corner Units: Sew (1) A 12-1/2" panel square between (2) outer pieced triangles, as shown. Make (4).
- 19. Rotate quilt center and sew (1) corner unit to each side to complete quilt center.



20. Outer Border: Rotate quilt center and sew (2) M 1-1/2"x 48" to the sides of the quilt center. Sew (2) M 1-1/2"x 50" strips to the top and bottom.



QUILT DIAGRAM



FINISHING: Layer quilt top, batting and backing together to form quilt sandwich. Baste and quilt as desired. Bind using **M** 2-1/2" strips.



DIAMOND TEMPLATES

