04.01.19 windhamfabrics.com

Star Struck

Designed by Natalie Crabtree
Featuring Artisan Cotton by Another Point of View

SIZE: 69" x 69"



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.





Cutting Notes: Mark and store your cutting pieces according to the block they have been assigned to, as this will make it much easier when you start piecing. Be sure to read the entire pattern before you begin.

| KEY | FABRIC | SKU | YD | CUTTING INSTRUCTIONS |
|-----|--------|-----------------------------------|-----|--|
| A | | 40171-70 Dk. Pink | 5/8 | (1) 3¾" x WOF strip. Subcut (4) 3¾" squares; cut once diagonally to create (8) HST for Colorway 1. (6) 2½" x WOF strips for Colorway 1. Subcut (8) diamonds using Cutting Method 1 and (16) diamonds using Cutting Method 2. |
| В | | 40171-71 Dk. Olive - Lt. Olive | 5/8 | (1) 3¾" x WOF strip. Subcut (4) 3¾" squares; cut once diagonally to create (8) HST for Colorway 1. (6) 2½" x WOF strips for Colorway 1. Subcut (16) diamonds using Cutting Method 1 and (8) diamonds using Cutting Method 2. |
| С | | 40171-61 Crimson-Brown | 3/4 | (2) 3¾" x WOF strips. Subcut (12) 3¾" squares; cut once diagonally to create (24) HST for Colorway 1. (6) 2½" x WOF strips for Colorway 1. Subcut (8) diamonds using Cutting Method 1 and (16) diamonds using Cutting Method 2. |
| D | | 40171-44 Yellow-Turq. | 3/4 | (2) 3¾" x WOF strips. Subcut (12) 3¾" squares; cut once diagonally to create (24) HST for Colorway 1. (6) 2½" x WOF strips for Colorway 1. Subcut (16) diamonds using Cutting Method 1 and (8) diamonds using Cutting Method 2. |
| E | | 40171-62 Red-Orange | 5/8 | (1) 3¾" x WOF strip. Subcut (4) 3¾" squares; cut once diagonally to create (8) HST for Colorway 2. (6) 2½" x WOF strips for Colorway 2. Subcut (16) diamonds using Cutting Method 1 and (8) diamonds using Cutting Method 2. |
| F | | 40171-64 Teal-Turq. | 5/8 | (1) 3¾" x WOF strip. Subcut (4) 3¾" squares; cut once diagonally to create (8) HST for Colorway 2. (6) 2½" x WOF strips for Colorway 2. Subcut (8) diamonds using Cutting Method 1 and (16) diamonds using Cutting Method 2. |



| KEY | FABRIC | SKU | YD | CUTTING INSTRUCTIONS |
|-----|--------|---------------------------------|-----|--|
| G | | 40171-65 Brown-Tan | 3/4 | (2) 3¾" x WOF strips. Subcut (12) 3¾" squares; cut once diagonally to create (24) HST for Colorway 2. (6) 2½" x WOF strips for Colorway 2. Subcut (16) diamonds using Cutting Method 1 and (8) diamonds using Cutting Method 2. |
| Н | | 40171-59 Aqua-White | 3/4 | (2) 3¾" x WOF strips. Subcut (12) 3¾" squares; cut once diagonally to create (24) HST for Colorway 2. (6) 2½" x WOF strips for Colorway 2. Subcut (8) diamonds using Cutting Method 1 and (16) diamonds using Cutting Method 2. |
| ı | | 40171-42 Yellow-Grey | 5/8 | (1) 3¾" x WOF strip. Subcut (4) 3¾" squares; cut once diagonally to create (8) HST for Colorway 3. (6) 2½" x WOF strips for Colorway 3. Subcut (16) diamonds using Cutting Method 1 and (8) diamonds using Cutting Method 2. |
| J | | 40171-63 Dk. Green-Lt. Green | 5/8 | (1) 3¾" x WOF strip. Subcut (4) 3¾" squares; cut once diagonally to create (8) HST for Colorway 3. (6) 2½" x WOF strips for Colorway 3. Subcut (8) diamonds using Cutting Method 1 and (16) diamonds using Cutting Method 2. |
| K | | 40171-60 Purple-Violet | 3/4 | (2) 3¾" x WOF strips. Subcut (12) 3¾" squares; cut once diagonally to create (24) HST for Colorway 3. (6) 2½" x WOF strips for Colorway 3. Subcut (16) diamonds using Cutting Method 1 and (8) diamonds using Cutting Method 2. |
| L | | 40171-48 Stone-Lavender | 3/4 | (2) 3¾" x WOF strips. Subcut (12) 3¾" squares; cut once diagonally to create (24) HST for Colorway 3. (6) 2½" x WOF strips for Colorway 3. Subcut (8) diamonds using Cutting Method 1 and (16) diamonds using Cutting Method 2. |



| KEY | FABRIC | SKU | YD | CUTTING INSTRUCTIONS |
|-----|--------|------------------------|-----|--|
| М | | 40171-68 Wine-Pink | 5/8 | (1) 3¾" x WOF strip. Subcut (4) 3¾" squares; cut once diagonally to create (8) HST for Colorway 4. (6) 2½" x WOF strips for Colorway 4. Subcut (16) diamonds using Cutting Method 1 and (8) diamonds using Cutting Method 2. |
| N | | 40171-46 TurqJade | 5/8 | (1) 3¾" x WOF strip. Subcut (4) 3¾" squares; cut once diagonally to create (8) HST for Colorway 4. (6) 2½" x WOF strips for Colorway 4. Subcut (8) diamonds using Cutting Method 1 and (16) diamonds using Cutting Method 2. |
| 0 | | 40171-53 Walnut-Tan | 3/4 | (2) 3¾" x WOF strips. Subcut (12) 3¾" squares; cut once diagonally to create (24) HST for Colorway 4. (6) 2½" x WOF strips for Colorway 4. Subcut (16) diamonds using Cutting Method 1 and (8) diamonds using Cutting Method 2. |
| Р | | 40171-47 Coral-Aqua | 3/4 | (2) 3¾" x WOF strips. Subcut (12) 3¾" squares; cut once diagonally to create (24) HST for Colorway 4. (6) 2½" x WOF strips for Colorway 4. Subcut (8) diamonds using Cutting Method 1 and (16) diamonds using Cutting Method 2. |
| Q | | 40171-38 Hot Pink-Pink | 3/8 | (1) 3¾" x WOF strip. Subcut (2) 3¾" squares; cut once diagonally to create (4) HST for Colorway 5. (3) 2½" x WOF strips for Colorway 5. Subcut (4) diamonds using Cutting Method 1 and (8) diamonds using Cutting Method 2. |
| R | | 40171-58 Navy-Cyan | 3/8 | (1) 3¾" x WOF strip. Subcut (2) 3¾" squares; cut once diagonally to create (4) HST for Colorway 5. (3) 2½" x WOF strips for Colorway 5. Subcut (8) diamonds using Cutting Method 1 and (4) diamonds using Cutting Method 2. |



| KEY | FABRIC | SKU | YD | CUTTING INSTRUCTIONS |
|-----|--------|--------------------------|------|---|
| S | | 40171-57 Olive-Lt. Olive | 3/8 | (1) 3¾" x WOF strip. Subcut (6) 3¾" squares; cut once diagonally to create (12) HST for Colorway 5. (3) 2½" x WOF strips for Colorway 5. Subcut (8) diamonds using Cutting Method 1 and (4) diamonds using Cutting Method 2. |
| Т | | 40171-55 Taupe-Lt. Grey | 3/8 | (1) 3¾" x WOF strip. Subcut (6) 3¾" squares; cut once diagonally to create (12) HST for Colorway 5. (3) 2½" x WOF strips for Colorway 5. Subcut (4) diamonds using Cutting Method 1 and (8) diamonds using Cutting Method 2. |
| U | | 40171-54 Camel-Cream | 5/8 | (8) 2¼" x WOF strips for binding. |
| | | Backing | 45/8 | 77" x 77" piece of batting. |

Cutting Instructions


Designer Note: Read through all cutting instructions before beginning. The block is featured in (5) colorways. Each colorway contains (4) fabrics. Each cutting instruction indicate which colorway that fabric is used for. Organize fabrics by Colorway 1-5 as you cut.

45° Angle Cuts: 45° angle cuts are used to create the quilt top effect. Two cutting methods are used. Follow the diagrams shown and written instructions for accurate cutting. Each cutting instruction lists which method to use (Cutting Method 1 or Cutting Method 2). The two cutting methods produce mirror image diamonds.



Cutting Method 1


- 1. Place (1) 2½" x WOF strip <u>right side up</u> on the cutting mat.
- **2.** Align the 45° angle of a ruler along the bottom edge of the strip. Align the top left corner of the strip with the edge of the ruler as shown.
- **3.** Trim the left edge of the strip using a rotary cutter and the 45° angle as shown. The first cut will not be used.
- **4.** Begin cutting diamonds by aligning the 45° angle along the bottom edge of the strip. Use the ruler to measure 3¾" away from the right most side of the ruler to the top left corner of the fabric. The top and bottom edges of the diamond will be 3¾".
- **5.** Cut diamonds using this method. Easy strip should yield (5) diamonds.



Cutting Method 2


- 6. Place (1) 2½" x WOF strip wrong side up on the cutting mat.
- **7.** Align the 45° angle of a ruler along the bottom edge of the strip. Align the top left corner of the strip with the edge of the ruler as shown.
- **8.** Trim the left edge of the strip using a rotary cutter and the 45° angle as shown. The first cut will not be used.
- **9.** Begin cutting diamonds by aligning the 45° angle along the bottom edge of the strip. Use the ruler to measure $3\frac{3}{4}$ " away from the right most side of the ruler to the top left corner of the fabric. The top and bottom edges of the diamond will be $3\frac{3}{4}$ ".
- 10. Cut diamonds using this method. Easy strip should yield (5) diamonds.






Block Assembly Instructions

11. Using the diagrams shown for accurate placement of Cutting Method 1 diamonds, Cutting Method 2 diamonds and 3¾" HST, lay out the block before sewing. (Alternate colors throughout using diagrams for Colorways 1-5 for reference). Diagrams show placement of units.






12. Begin sewing together the block in diagonal rows first as shown in the diagram. Alternate the direction in which you press the seams in each diagonal row.



13. Using pins to help align points, sew together the diagonal rows to complete the block.





- **14.** Use the instructions listed in Steps 11-13 and the colorway guide shown for accurate fabric pairing. Complete the following number of blocks per colorway:
- 14a. Colorway 1: Complete (8) blocks (Fabrics A, B, C and D)
- **14b.** Colorway 2: Complete (8) blocks (Fabrics E, F, G and H)
- 14c. Colorway 3: Complete (8) blocks (Fabrics I, J, K and L)
- 14d. Colorway 4: Complete (8) blocks (Fabrics M, N, O and P)
- 14e. Colorway 5: Complete (4) blocks (Fabrics Q, R, S and T)
- 15. Blocks should measure 12" unfinished.





16. Blocks created in Step 14 create (1) quadrant of a completed large block. Combine (4) blocks of the same colorway to complete a large block. Small blocks will be turned to create a bursting star effect from the center of the block as shown.







17. Use the instructions listed in Step 16 and the colorway guide shown for accurate fabric pairing. Complete the following number of blocks per colorway:

17a. Colorway 1: Complete (2) large blocks

17b. Colorway 2: Complete (2) large blocks

17c. Colorway 3: Complete (2) large blocks

17d. Colorway 4: Complete (2) large blocks

17e. Colorway 5: Complete (1) large block

18. Completed blocks should measure 23½" unfinished





Quilt Top Assembly

- 19. Arrange blocks created in Colorways 1-5 using the quilt layout diagram shown.
- **20.** Sew blocks together in horizontal rows first alternating the direction in which you press the seams in each row.
- 21. Sew together the horizontal rows to complete the quilt top.

QUILT ASSEMBLY DIAGRAM



Finishing

- 23. With the backing fabric laying taut, place batting and then quilt top to form quilt sandwich.
- 24. Baste sandwich. Quilt as desired.
- 25. Bind with Fabric U to finish quilt.