07.09.2024 windhamfabrics.com




FREE PROJECT

Twinkling Stars

Designed by Wendy Sheppard Featuring *Icing* by *Whistler Studios*

SIZE: 57" x 67"



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.



e: info@windhamfabrics.com p: 201-659-0444 • f: 201-659-9719



PROJECT DISCLAIMER: Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however, no warranty can be given nor results guaranteed. Therefore, we assume no responsibility nor damages that may occur when referring to this pattern. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. We suggest you check **windhamfabrics.com** for pattern updates and to test the pattern prior to making the project. Test templates first, before cutting all the pieces. Free projects are not for resale.

Cutting Notes: Mark and store cut pieces according to the assigned block. This will make it much easier to piece.

WOF = WIDTH OF FABRIC

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
A		RUBY + BEE SOLIDS: 51583-51 Lambs Ear	2-2/3	PIECED BLOCKS (10) 2" x WOF strips; subcut (200) 2" squares. (3) 3-1/2" x WOF strips; subcut (25) 3-1/2" squares. SASHING RECTANGLES (1) 10-1/2" x WOF strip; subcut (20) 2" x 10-1/2" rectangles. SASHING STRIPS (5) 2" x WOF strips. Piece strips and subcut (4) 2" x 46-1/2" sashing strips. INNER BORDER (6) 3" x WOF strips. Piece strips and subcut (2) 3" x 51-1/2" strips and (2) 3" x 56-1/2" strips.
				BINDING: (7) 2-1/4" x WOF strips.
В		54134-1 White on White	5/8	PIECED BLOCKS (1) 3-1/2" x WOF strip; subcut (10) 3" x 3-1/2" rectangles. (3) 4" x WOF strips; subcut (10) 3-1/2" x 4" and (20) 3" x 4" rectangles.
С		54147-1 White on White	1/3	PIECED BLOCKS (1) 3-1/2" x WOF strip; subcut (6) 3-1/2" x 4" and (6) 3" x 3-1/2" rectangles. (1) 4" x WOF strip; subcut (12) 3" x 4" rectangles.
D		54136-1 White on White	5/8	PIECED BLOCKS (1) 3-1/2" x WOF strip; subcut (8) 3" x 3-1/2" rectangles. (3) 4" x WOF strips; subcut (8) 3-1/2" x 4" and (16) 3" x 4" rectangles.




WOF = WIDTH OF FABRIC

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
E		54138-1 White on White	1/3	PIECED BLOCKS (1) 3-1/2" x WOF strip; subcut (6) 3-1/2" x 4" and (6) 3" x 3-1/2" rectangles. (1) 4" x WOF strip; subcut (12) 3" x 4" rectangles.
F	- + + + + + + + + + + + + + + + + + + +	54144-1 White on White	1/3	PIECED BLOCKS (1) 3-1/2" x WOF strip; subcut (6) 3-1/2" x 4" and (6) 3" x 3-1/2" rectangles. (1) 4" x WOF strip; subcut (12) 3" x 4" rectangles.
G		54140-1 White on White	3/4	OUTER BORDER (6) 3-1/2" x WOF strips. Piece strips and subcut (2) 3-1/2" x 57-1/2" and (2) 3-1/2" x 61-1/2" strips.
н		54143-1 White on White	5/8	PIECED BLOCKS (1) 3-1/2" x WOF strip; subcut (8) 3" x 3-1/2" rectangles. (3) 4" x WOF strips; subcut (8) 3-1/2" x 4" and (16) 3" x 4" rectangles.
I		54146-1 White on White	1/3	PIECED BLOCKS (1) 3-1/2" x WOF strip; subcut (6) 3-1/2" x 4" and (6) 3" x 3-1/2" rectangles. (1) 4" x WOF strip; subcut (12) 3" x 4" rectangles.
		Backing	4	65" x 75" piece of batting.





PIECED BLOCKS

1. Draw a diagonal line on the wrong side of (1) A 2" square. Place square, RST, at a corner of (1) B 3-1/2" x 4" rectangle. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal A corner triangle. Repeat with another A 2" square at the adjacent corner along the short side of the same B rectangle to complete unit.



2. Sew (2) **B** 3" \times 4" rectangles to the opposite long sides of sewn unit to make a row. Make (2). Rows should measure 8-1/2" (horizontal) \times 4-1/2" (vertical) raw edge to raw edge.







Make (2)

3. Draw a diagonal line on the wrong side of (1) A 2" square. Place square, RST, at a corner of (1) B 3" x 3-1/2" rectangle. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal A corner triangle. Repeat with another A 2" square at the adjacent corner along the long side of the same B rectangle to complete sewn unit.












4. Repeat to make (2) sewn units, and sew units to the opposite sides of (1) **A** 3-1/2" square to make a row.













5. Sew rows together to complete (1) pieced block measuring 8-1/2" x 10-1/2" unfinished. Make (5).





Make (5) of B


6. Make the indicated number of blocks for the following fabric prints:

(3) Blocks: C, E, F and I


(4) Blocks: **D** and **H**

PIECED ROWS

7. Refer to the diagrams below for block placement guide. Arrange and sew together (5) pieced blocks and (4) A 2" x 10-1/2" sashing rectangles to make a pieced row. Make (5) pieced rows.







8. Sew together pieced rows and (4) **A** 2" x 46-1/2" sashing strips to complete quilt center. Refer to Quilt Assembly Diagram on Page 6 for reference.

BORDER ASSEMBLY

- **9.** Inner border: Sew (2) **A** 3" x 56-1/2" strips to the left and right sides of quilt center, followed by **A** (2) 3" x 51-1/2" strips to the top and bottom of quilt center.
- **10.** Outer border: Sew (2) **G** 3-1/2" x 61-1/2" strips to the left and right sides of quilt center, followed by **G** (2) 3-1/2" x 57-1/2" strips to the top and bottom of quilt center to complete quilt top.



QUILT ASSEMBLY DIAGRAM

G 3-1/2" x 57-1/2" **A** 3" x 51-1/2" **A** 2" × 46-1/2" **G** 3-1/2" × 61-1/2" $3" \times 56-1/2"$

FINISHING: Layer quilt top, batting and backing together to form quilt sandwich. Baste and quilt as desired. Bind using **A** 2-1/4" strips.